

"V" Approved Products List
Wheelchair Cushions and Accessories

July 1, 2008



APL ADDITIONS
Invacare – Matrix Flo-Tech
Sunrise – Jay Solution

APL DELETIONS
Span America – Geo-Matt
Nighthawk – Soft Sunmate
SOS – Pro-Custom (Standard Plus)
SOS – Pro Custom with Drop Base (Standard Plus)

PAGE PRICE RANGE WT. MAX.

Based on need, a client may have one wheelchair cushion every three years

STANDARD FOAM CUSHIONS

Nighthawk – Standard Size	1.....	98-127	150
Western Home Medical – Bi-Medium Density	2.....	123-142	250
Western Home Medical – Bi-Hard High Density	3.....	123-142	250
Sunrise Medical – Jay Basic.....	4.....	93	250

PREMIUM FOAM CUSHIONS

Nighthawk – Medium Density Cumfy	5.....	167-266	150
Nighthawk – Hard-Medium Density Cumfy	6.....	173-271	220
Nighthawk – Bi-Medium Density Cumfy	7.....	238-278	220
Nighthawk – Bi-Hard Density Cumfy	8.....	243-287	220

PREMIUM FOAM CONTOURED

Sunrise Medical – Jay Combi	9.....	202	250
Sunrise Medical – Jay 2 Plus.....	10.....	752	650
Nighthawk – Contoured Bi-Medium	11.....	255	200
Nighthawk – Superior Thin Cumfy	12.....	370	250
Invacare – Comfortmate Extra.....	13.....	182	250
Vitacare – Ultraform.....	14.....	165	250
Comfort Company – The Curve.....	16.....	137-182	400

PREMIUM FOAM WITH VISCOELASTIC FOAM

Nighthawk – Bi-Sunmate	16.....	319	250
Nighthawk – Superior Cumfy	17.....	447	250
Future Mobility – Ideal	18.....	207	250
Future Mobility – Supreme	19.....	517-540	250
Sunrise Medical – Jay Triad	20.....	391	250
Sunrise Medical – Jay Triad P	21.....	437	250
Invacare – Matrx Flo-Tech.....	22.....	617-707	300
Invacare – Ultimate	23.....	383-581	250/750
Invacare – Ultimate Base	24.....	526-732	250/450
Invacare – Infinity with Visco Foam	25.....	552-628	250
Invacare Distributor – Matrx-V and Kidabra-V	26.....	491-716	650
Invacare Distributor – Matrx-V and Kidabra-V Base	27.....	716-761	250
Pride – Synergy Spectrum Viscoelastic Insert.....	28.....	505-551	650

PAGE PRICE RANGE WT. MAX.

Based on need, a client may have one wheelchair cushion every three years

PREMIUM FOAM AND FLUID CUSHIONS

Sunrise Medical – Jay 2	29.....	615-894	250
Sunrise Medical – Jay Xtreme	30.....	569-734	250
Sunrise Medical – Jay Duo Series	31.....	461-522	250
Sunrise Medical – Jay J2 Deep Contour	32.....	643-852	250
Sunrise Medical – Jay J2 Deep Contour / Solid Drop Base.....	33.....	672-889	250
Sunrise Medical – Jay Solution	34.....	539-562.....	250
Camp – Relax Easy	35.....	315	300
Camp – Relax Trio.....	36.....	142	180
Pride – Synergy Solution	37.....	367-413	350
Pride – Synergy Spectrum – Gel Insert	38.....	505-551	350

PREMIUM FOAM/POLYMER OR GEL CUSHIONS

Action – Centurian	39.....	252-445	250
Action XACT Soft.....	40.....	565-713	350
Action XACT Soft Integrated Base	41.....	803	350
Action XACT Lite	42.....	404-475	250
Sunrise Medical – Jay 2 Recline.....	43.....	677-946	250
Invacare – Infinity with FloGel	44.....	552-628	250
Camp – Relax Duogel	45.....	315	300
Camp – Relax Xcell	46.....	250-286	300/480

FOAM FILLED BLADDER CUSHIONS

Otto Bock – ProContour Comfort.....	47.....	723-933 . 1.02 lbs/in ²	
Otto Bock – Advantage.....	48.....	466-511	250
Otto Bock – The Cloud	49.....	575-769 . 1.02 lbs/in ²	

PAGE PRICE RANGE WT. MAX.

Based on need, a client may have one wheelchair cushion every three years

HONEYCOMB CUSHIONS

Supracor – Stimulite Classic Flat.....	50.....	611	250
Supracor – Stimulite Classic Sling.....	51.....	635	250
Supracor – Stimulite Contoured.....	52.....	705	250
Supracor – Stimulite Contoured Sling.....	53.....	736	250
Supracor – Stimulite Pediatric Corbee Flat.....	54.....	369	250
Supracor – Stimulite Pediatric Corbee Sling.....	55.....	402	250

POLYMER CUSHIONS

Action – Pilot.....	56.....	295-409	no max.
Nighthawk – Gel Suspension Pad	57.....	180-248	250

AIR FLOATATION CUSHIONS

ROHO – High Profile 4” High Single Compartment	58.....	548-622	no max.
ROHO – High Profile 4” High Dual Compartment.....	59.....	566-659	no max.
ROHO – Low Profile 2” High Single Compartment	60.....	548-659	no max.
ROHO – Low Profile 2” High Dual Compartment.....	61.....	566-659	no max.
ROHO – Quadro Select High Profile 4 Valve – 4” High	62.....	669-743	no max.
ROHO – Quadro Select Low Profile 4 Valve – 2” High	63.....	669-715	no max.
ROHO – Enhancer Dual Valve	64.....	586-646	no max.
ROHO – Contour Select	65.....	669-715	no max.
Dan Medica South Ltd. – DebbonAir Dynamics.....	66.....	556	no max.

AIR FLOATATION CUSHIONS WITH FOAM OR GEL

ROHO – Nexus Spirit	67.....	544-566	250
Camp – Relax Gelcell.....	68.....	430	300
Camp – Relax Gelcell Contour	69.....	448	300
Camp – Relax Gelcell Contour Plus	70.....	515	300
Varilite – Evolution PSV.....	71.....	677-719	650
Varilite – Evolution Wave Standard Valve or PSV	72.....	564-658	650
Invacare – Infinity with Airflo	73.....	601-678	250

WHEELCHAIR TRAYS / TROUGHS

Based on need, a client may have one every two years

Western Home Medical	74
Vision Wheelchair Seating System Inc	75
Invacare.....	76
Otto Bock.....	76
Nighthawk.....	77
Personal Aide Woodcrafts	77
Innovators.....	78

TRANSFER BOARDS

Based on need, a client may have one every two years

I.N.C.	79
Parsons	79
Personal Aide Woodcrafts	79
Western Home Medical.....	79

AMPUTEE BOARDS AND PADS

Based on need, a client may have one every four years

Personal Aide Woodcrafts	80
I.N.C.	80
Western Home Medical.....	81

SPECIALTY UPHOLSTERED BACKS

Based on need, a client may have one every four years

On Chair Specialty Back.....	82
Nighthawk.....	82
Innovators.....	83
Western Home Medical Distributors.....	83
Installation & Shipping	84

CUSHION SOLID SEAT INSERTS / DROP BASES

Based on need, a client may have one every three years

Nighthawk.....	85
Western Home Medical Distributors	85
Sunrise Medical	85
ROHO.....	85
Installation & Shipping	86

APPROVED PRODUCTS LIST POINTERS

Definitions.....	87
Custom Size Options.....	87
Maintenance and Care	87

Warranty 87

NIGHTHAWK – STANDARD SIZE
STANDARD FOAM CUSHIONS

CAT. #	SIZE	PRICE
	Standard Sizes: 8x8 – 18x18	
V016	1.028 – 2"	98.44
V018	1.030 – 3"	112.50
V021	1.032 – 4" 1.034 – WEDGE	126.57

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V296	Custom Size 1.025 (over 18x18)	40.50
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
None		

MAINTENANCE/CARE	
Cushion	None
Cover	Machine washable, hang to dry

CUSHION DESCRIPTION		
• Open cell, low density foam, flat		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

Height	Weight	Weight Max.	Warranty	Life Expectancy
2, 3, 4	1 lb.	150	1	2
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
• Double knit polyester, stretch or vinyl upon request		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof		X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	LOW	LOW

WESTERN HOME MEDICAL – BI-MEDIUM DENSITY
STANDARD FOAM CUSHIONS

CAT. #	SIZE	PRICE
	8x18 to 18x18	
V082	5532 – 2"	122.85
V083	5533 – 3"	131.40
V084	5534 – 4"	142.20

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V295	Custom Size	21.60
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
None		

MAINTENANCE/CARE	
Cushion	None
Cover	Machine wash, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Bi-medium density foam base • Open celled foam • Flat 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

Height	Weight	Weight Max.	Warranty	Life Expectancy
2-4"	2 lbs.	250	1	2
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Darlex – stretch with waterproof moisture barrier on inside 		
	YES	NO
Breathable		X
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Properties allow immersion / pressure equalization
LOW	LOW	LOW

WESTERN HOME MEDICAL – BI-HARD HIGH DENSITY
STANDARD FOAM CUSHIONS

CAT. #	SIZE	PRICE
	8x18 to 18x18	
V092	5542 – 2"	122.85
V093	5543 – 3"	131.40
V094	5544 – 4"	142.40

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V295	Custom Size	21.60
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
None		

MAINTENANCE/CARE	
Cushion	None
Cover	Machine wash, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Bi-hard high density foam base • Open cell medium density top • Flat 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

Height	Weight	Weight Max.	Warranty	Life Expectancy
2-4"	2 lbs.	250	1	2
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Darlex – stretch with waterproof moisture barrier on inside 		
	YES	NO
Breathable		X
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	LOW	LOW

SUNRISE MEDICAL – JAY BASIC

STANDARD FOAM CUSHIONS

CAT. #	SIZE	PRICE
V099	308 – 14x16	92.70
	356 – 15x16	
	305 – 16x16	
	376 – 17x16	
	306 – 16x18	
	300 – 18x16	
	301 – 18x18	
	309 – 20x18	

CUSHION DESCRIPTION		
• Contoured molded foam		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

Height	Weight (Lbs.)	Weight Max.	Warranty	Life Expectancy
2.5"	1-7	250	2	2
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
None		

COVER DESCRIPTION		
• Incontinence resistant		
	YES	NO
Breathable		X
Non-slip base	X	
Incontinence proof		X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear		X
Velcro attachments	X	

MAINTENANCE/CARE	
Cushion	Wipe lightly with damp cloth, do not use soap
Cover	Turn inside out, zip half way closed, machine wash warm water, drip dry or low heat in dryer

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	LOW	LOW

NIGHTHAWK – MEDIUM DENSITY CUMFY
PREMIUM FOAM CUSHIONS

CAT. #	SIZE	PRICE
	8x8 – 18x18	
V138	1.001 – 1"	167.35
V139	1.002 – 2"	208.13
V140	1.003 – 3"	223.60
V141	1.004 – 4"	265.78
V142	1.005 – Wedge	246.10

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V296	Custom Size	40.50
V236	Incontinence Cover	112.50

REPLACEMENT COVER		
Cat. #	Description	Price
None		

MAINTENANCE/CARE	
Cushion	Hand wash
Cover	Machine wash, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Open cell, medium density, high resiliency foam Flat 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

Height	Weight	Weight Max.	Warranty	Life Expectancy
1-4"	2 lbs.	150	1	2
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Double knit polyester, stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	LOW	LOW

NIGHTHAWK – HARD-MEDIUM DENSITY CUMFY

PREMIUM FOAM CUSHIONS

CAT. #	SIZE	PRICE
	8x8 – 18x18	
V146	1.006 – 1"	172.97
V147	1.007 – 2"	213.75
V148	1.008 – 3"	234.85
V149	1.009 – 4"	271.41
V150	1.010 – Wedge	246.10

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V296	Custom Size	40.50
V236	Incontinence Cover	112.50

REPLACEMENT COVER		
Cat. #	Description	Price
None		

MAINTENANCE/CARE	
Cushion	Hand wash
Cover	Machine wash

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Open cell, high resiliency hard/medium density foam Flat 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

Height	Weight	Weight Max.	Warranty	Life Expectancy
1-4"	2 lbs.	220	1	2
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Double knit polyester, stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof		X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	LOW	LOW

NIGHTHAWK – BI-MEDIUM DENSITY CUMFY
PREMIUM FOAM CUSHIONS

CAT. #	SIZE	PRICE
	8x8 – 18x18	
V154	1.011 – 2"	237.66
V155	1.012 – 3"	262.97
V156	1.013 – 4"	278.44
V157	1.014 – Wedge	255.23

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V296	Custom Size	40.50
V236	Incontinence Cover	112.50

REPLACEMENT COVER		
Cat. #	Description	Price
None		

MAINTENANCE/CARE	
Cushion	Hand wash
Cover	Machine wash, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Open cell, high resiliency, medium density foam Flat Laminated combination of 1-4" medium density foam 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

Height	Weight	Weight Max.	Warranty	Life Expectancy
2-4"	2 lbs.	220	1	2
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Double knit polyester, stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	OPTION	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	LOW	LOW

NIGHTHAWK – BI-HARD DENSITY CUMFY

PREMIUM FOAM CUSHIONS

CAT. #	SIZE	PRICE
	8x8 – 18x18	
V161	1.015 – 2"	243.29
V162	1.016 – 3"	267.19
V163	1.017 – 4"	286.88
V164	1.018 – Wedge	275.63

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V296	Custom Size	40.50
V236	Incontinence Cover	112.50

REPLACEMENT COVER		
Cat. #	Description	Price
None		

MAINTENANCE/CARE	
Cushion	Hand wash
Cover	Machine wash, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Open cell, high resiliency, medium density foam • Flat • Laminated combination of 1" firm density to 1-3" medium density foam 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

Height	Weight	Weight Max.	Warranty	Life Expectancy
2-4"	2 lbs.	220	1	2
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Double knit polyester, stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Option	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	LOW	LOW

SUNRISE MEDICAL – JAY COMBI
PREMIUM FOAM CONTOURED

CAT. #	SIZE	PRICE
V301	B215-NB – 12x12 B210-NB – 14x14 B205-NB – 15½x16 B206-NB – 15½x18 B207-NB – 16x20 B200-NB – 18x16 B201-NB – 18x18 B203-NB – 18x20 B202-NB – 20x18	201.60

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Coated contoured base • Dual density foam base • Slight abductor build-up 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2.5"	2.7	250	2	2+
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V312		73.80

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Incontinence resistant 		
	YES	NO
Breathable		X
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear		X
Velcro attachments	X	

MAINTENANCE/CARE	
Cushion	Wipe with warm water and soap, rinse with clean damp cloth, wipe dry. Air dry before reassembly.
Cover	Turn inside out, zip half way closed, machine wash warm water, drip dry or low heat in dryer

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW+	LOW+	LOW

SUNRISE MEDICAL – JAY 2 PLUS

PREMIUM FOAM CONTOURED

CAT. #	SIZE	PRICE
V396	302018AFM – 20x18	752.40
	302020AFM – 20x20	
	302022AFM – 20x22	
	302218AFM – 22x18	
	302220AFM – 22x20	
	302222AFM – 22x22	
	302418AFM – 24x18	
	302420AFM – 24x20	
	302422AFM – 24x22	
	302618AFM – 26x18	
	302620AFM – 26x20	
	302622AFM – 26x22	

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Molded foam base pad • Soft foam under thighs • Large trochanteric shelf to support redundant tissue • 5 degree anterior slope for better positioning and comfort • Foam insert for well 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

Height	Weight	Weight Max.	Warranty	Life Expectancy
3.63"	<7 lbs	650	2	2+
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V397	Air Exchange	183.60

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Air Exchange 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof		X
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	X	

MAINTENANCE/CARE	
Cushion	Wipe with warm water and soap, rinse with clean damp cloth, wipe dry. Air dry before reassembly.
Cover	Turn inside out, zip half way closed, machine wash warm water, drip dry or low heat in dryer. Do not dry clean or use industrial washers and dryers

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Properties allow immersion / pressure equalization
MODERATE+	LOW+	LOW

NIGHTHAWK – CONTOURED BI-MEDIUM
PREMIUM FOAM CONTOURED

CAT. #	SIZE	PRICE
V331	1.071 8x8 – 18x18	254.54

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V296	Custom Size 1.025	40.50
V236	Incontinence Cover	112.50

REPLACEMENT COVER		
Cat. #	Description	Price
None		

MAINTENANCE/CARE	
Cushion	Hand wash
Cover	Machine wash, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> 1" hard density base foam 1" medium density top foam 2 contoured sides, gentle leg troughs 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

Height	Weight	Weight Max.	Warranty	Life Expectancy
2.5"	2 lbs.	200	1	2
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Double knit polyester 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Option	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW+	LOW	LOW

NIGHTHAWK – SUPERIOR THIN CUMFY

PREMIUM FOAM CONTOURED

CAT. #	SIZE	PRICE
V340	1.044 8x8 – 18x18	369.85

OPTIONS		
Cat. #	Description	Price
V564	Drop Base with Cushion Cover	144.00
V487	Installation of Drop Base <ul style="list-style-type: none"> • Removal of upholstery required • Quantity 1 per 2 years 	22.00
V296	Custom Size 1.046	40.50
V236	Incontinence Cover Neoprene 1.043	112.50

REPLACEMENT COVER		
Cat. #	Description	Price
V215	Double knit polyester stretch	90.00

MAINTENANCE/CARE	
Cushion	None
Cover	Machine washable, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Open celled foam • Base 2" hard-medium density foam • Top layer ¼" standard foam • 1" or 2" abductor build-up • 1" or 2" adductor wedges 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

Height	Weight	Weight Max.	Warranty	Life Expectancy
2.25"	2 lbs.	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Double knit polyester stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	LOW	LOW

INVACARE – COMFORTMATE EXTRA
PREMIUM FOAM CONTOURED

CAT. #	SIZE	PRICE
V358	14x14, 14x16, 16x16, 16x18, 16x20, 18x16, 18x18, 18x20, 20x16, 20x18, 20x20, 22x18, 22x20	181.80
V103	Custom Size	Prior Approval

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Molded dual density foam • Moisture proof coating sealed foam 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear		X

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
	2.3	250	2	2+
Contour Height	LT	2.25"	AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V361		54.00

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Incontinence proof • So Fleece – moisture proof 		
	YES	NO
Breathable		X
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up	X	
Wick away moisture		X
Reduces shear		X
Velcro attachments		

MAINTENANCE/CARE	
Cushion	Hand wash foam, damp cloth, no abrasives, no solvents
Cover	Machine wash

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	LOW	LOW

VITACARE – ULTRAFORM

PREMIUM FOAM CONTOURED

CAT. #	SIZE	PRICE
V280	2466 – 16x16 2468 – 16x18 2477 – 17x17 2486 – 18x16 2488 – 18x18	165.33
V103	Custom Size	Prior Approval

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V285		46.80

MAINTENANCE/CARE	
Cushion	Not washable
Cover	Machine wash, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Contoured Multi-layer design (5 layers) High density foam polyurethane foam Premium memory foam Semi-rigid base 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive	X	
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
3"	4 lbs.	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Removable Zippered Double knit polyester 		
	YES	NO
Breathable	X	
Non-slip base	Optional	
Incontinence proof	X	
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	Optional	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	LOW+	LOW

COMFORT COMPANY – THE CURVE
PREMIUM FOAM CONTOURED

CAT. #	SIZE	PRICE
V127	10x10, 12x12, 14x14, 16x16, 16x18, 18x16, 18x18, 20x16, 20x18	136.80
V129	22x16, 22x18, 24x16, 24x18	182.40

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V131	Standard Size	80.75
V133	Large Size	118.75

MAINTENANCE/CARE	
Cushion	Wipe lightly with damp cloth (do not use soap)
Cover	Stretch-Air: Machine wash cold, hang to dry Fusion: Wipe down with mild soap and water or machine wash cold, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> High density, molded, polyurethane foam Mild anti-thrust shelf, medial and lateral thigh supports 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

Height	Weight	Weight Max.	Warranty	Life Expectancy
2"	2.2 lbs	250-400	Lifetime	2+
Contour Height	LT	2"	AB/AD	3"

COVER DESCRIPTION		
<ul style="list-style-type: none"> Fusion fabric: multi-dimensional stretch design alleviates pressure on bony prominences and adds comfort, fluid proof, easy to clean, anti-microbial, anti-fungal Stretch-Air fabric: 2-ply breathable, high stretch polyester top layer, waterproof, breathable vapour barrier 		
	YES	NO
Breathable	Stretch-Air	
Non-slip base	Optional	
Incontinence proof	Stretch-Air	
Reduce heat build-up	Stretch-Air	X
Wick away moisture	Stretch-Air	X
Reduces shear		X
Velcro attachments	Optional	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	LOW	LOW

NIGHTHAWK – BI-SUNMATE

PREMIUM FOAM WITH VISCOELASTIC FOAM

CAT. #	SIZE	PRICE
V089	1.048 8x8x2 – 18x18x2	319.22

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V296	Custom Size 1.076	40.50
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
None		

MAINTENANCE/CARE	
Cushion	None
Cover	Wash, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> 100% open cell foam provides high energy impact absorption and support 2 layers: <ul style="list-style-type: none"> Top layer – 1" Sunmate 1" base foam 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

Height	Weight	Weight Max.	Warranty	Life Expectancy
2"	2 lbs.	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Double knit polyester, stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof		X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	LOW+	LOW

NIGHTHAWK – SUPERIOR CUMFY
PREMIUM FOAM WITH VISCOELASTIC FOAM

CAT. #	SIZE	PRICE
V335	1.040 8x8 – 8x18	447.19

OPTIONS		
Cat. #	Description	Price
V487	Installation of Drop Base <ul style="list-style-type: none"> • Removal of upholstery required • Quantity 1 per 2 years 	22.00
V296	Custom Size 1.042	40.50
V236	Incontinence Cover Neoprene 1.043	112.50

REPLACEMENT COVER		
Cat. #	Description	Price
V339	Tuff Stuff -Double knit polyester with microfilm backing, stretch	106.87

MAINTENANCE/CARE	
Cushion	None
Cover	Machine washable, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Open celled foam • 2" hard-medium density • 1" Sunmate foam • 1" or 2" abductor build-up • 1" or 2" adductor wedges 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear		X

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2.25"	2.5	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Tuff Stuff -Double knit polyester with microfilm backing, stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	MODERATE-	LOW

FUTURE MOBILITY – IDEAL

PREMIUM FOAM WITH VISCOELASTIC FOAM

CAT. #	SIZE	PRICE
V208	IC1616 – 16x16 IC1618 – 16x18 IC1816 – 18x16 IC1818 – 18x18 IC2016 – 20x16 IC2018 – 20x18	207.00

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V212		103.50

MAINTENANCE/CARE	
Cushion	Wipe down
Cover	Machine washable, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Low profile, high density foam base • Low contour • Core layer of viscoelastic foam • Waterfall front edge for foot propelling 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive	X	
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
	2 lbs.	250	2	2+
Contour Height	LT	2.25"	AB/AD	3"

COVER DESCRIPTION		
•		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof		X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	MODERATE	LOW

FUTURE MOBILITY – SUPREME
PREMIUM FOAM WITH VISCOELASTIC FOAM

CAT. #	SIZE	PRICE
V211	SC1414 – 14x14	517.50
	SC1416 – 14x16	
	SC1616 – 16x16	
	SC1618 – 16x18	
	SC1816 – 18x16	
	SC1818 – 18x18	
V276	SC1820 – 18x20	540.00
	SC1516 – 15x16	
	SC1518 – 15x18	
	SC1620 – 16x20	
	SC1716 – 17x16	
	SC1718 – 17x18	
	SC1720 – 17x20	
	SC1916 – 19x16	
	SC1918 – 19x18	
	SC1920 – 19x20	
	SC2016 – 20x16	
SC2018 – 20x18		
SC2020 – 20x20		

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> High density, cut layered foam Aggressive contour Waterfall front edge for foot propelling comfort Can cut in rear for correct placement in wheelchairs 3" of visco foam under the ischials for superior immersion 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive	X	
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
	3.75	250	2	2+
Contour Height	LT	3.25"	AB/AD	5"

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Inner: Water resistant Outer: Standard high 4-way stretch outer cover, or low shear outer cover 		
	YES	NO
Breathable	Outer	
Non-slip base	Outer	
Incontinence proof		X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	Outer	
Velcro attachments	X	

REPLACEMENT COVER		
Cat. #	Description	Price
V219		108.00

MAINTENANCE/CARE	
Cushion	Wipe down
Cover	Machine washable, hang to dry

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

SUNRISE MEDICAL – JAY TRIAD

PREMIUM FOAM WITH VISCOELASTIC FOAM

CAT. #	SIZE	PRICE
V646	1266 – 16x16 1268 – 16x18 1286 – 18x16 1288 – 18x18 1208-MJ – 20x18	390.60

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V648		127.80

MAINTENANCE/CARE	
Cushion	Wipe with warm water and soap, rinse with clean damp cloth, wipe dry. Air dry before reassembly.
Cover	Turn inside out, zip half way closed, machine wash warm water, drip dry or low heat in dryer

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Firm polyurethane base Soft polyurethane contoured foam in front Viscoelastic foam in rear 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear		X

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
3.75"	2.3	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Laminated neoprene cover 		
	YES	NO
Breathable		X
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear		X
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	LOW+	LOW

SUNRISE MEDICAL – JAY TRIAD P
PREMIUM FOAM WITH VISCOELASTIC FOAM

CAT. #	SIZE	PRICE
V153	1266P – 16x16 1268P – 16x18 1286P – 18x16 1288P – 18x18 1208P – 20x18	436.50

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V648	Laminated Neoprene Cover	112.50

MAINTENANCE/CARE	
Cushion	Wipe with warm water and soap, rinse with clean damp cloth, wipe dry. Air dry before reassembly.
Cover	Turn inside out, zip half way closed, machine wash warm water, drip dry or low heat in dryer. Do not dry clean or use industrial washers and dryers.

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Firm polyurethane base Soft polyurethane contoured foam in front Viscoelastic foam in rear 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear		X

Height	Weight	Weight Max.	Warranty	Life Expectancy
3.75"	2.3	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Incontinence resistant 		
	YES	NO
Breathable		X
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear		X
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Properties allow immersion / pressure equalization
MODERATE+	LOW+	LOW+

INVACARE – MATRX FLO-TECH
PREMIUM FOAM WITH VISCOELASTIC FOAM

CAT. #	SIZE	PRICE
V530	15"-19" W x 16"-21" D	616.50
V533	20" W x 16"-18" D	706.50

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V534		103.00

MAINTENANCE/CARE	
Cushion	Wipe with warm water and soap, rinse with clean damp cloth wipe dry. Air dry before assembly.
Cover	Turn inside out zip half way closed machine wash warm water, drip dry or low heat in dryer.

CUSHION DESCRIPTION		
	YES	NO
•		
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2"	6	300	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
	YES	NO
• Outer: moisture resistant, breathable		
• Platon inner liner provides incontinence protection		
Breathable	X	
Non-slip base	X	
Incontinence proof	Inner	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear		X
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

INVACARE – ULTIMATE
PREMIUM FOAM WITH VISCOELASTIC FOAM

CAT. #	SIZE	PRICE
V363	UM 1616 – 16x16 UM 1618 – 16x18 UM 1816 – 18x16 UM 1818 – 18x18 UM 2016 – 20x16 UM 2018 – 20x18	472.50
V368	UMJ 1010 UMJ 1212 UMJ 1414 UMJ 1416	382.50
V321	Custom Size Junior	490.50
V324	Custom Size Adult Indicate size and client weight (up to 750 lbs.)	580.50

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Contoured 4 foams, including a viscoelastic layer Polyurethane foam bottom Bottom edges beveled to offset hammock Sloped trochanteric shelf and ischial relief 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
3"	4.5	250	2	2+
3"	4.5	750	2	2+
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V372	Adult / Child	95.40

COVER DESCRIPTION		
<ul style="list-style-type: none"> Outer: water resistant, breathable Inner: waterproof 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Inner	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear		X
Velcro attachments	X	

MAINTENANCE/CARE	
Cushion	None
Cover	Outer: washing machine, hang to dry, no bleach Inner: wipeable, hand wash, drip dry in sun, no bleach

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

INVACARE – ULTIMATE BASE
PREMIUM FOAM WITH VISCOELASTIC FOAM

CAT. #	SIZE	PRICE
V364	10x10, 12x12, 14x14, 14x16	525.60
V380	16x16, 16x18, 18x16, 18x18, 20x16, 20x18	577.80
V330	Custom Size Indicate size and client weight (max. 450 lbs.)	731.70

OPTIONS		
Cat. #	Description	Price
	Base	
V487	Installation of Drop Base <ul style="list-style-type: none"> • removal of upholstery required • quantity 1 per 2 years 	22.00
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V371		73.80

MAINTENANCE/CARE	
Cushion	None
Cover	Outer: Machine wash, no bleach, hang to dry Inner: Damp cloth, no solvent or abrasive, hand wash, drip dry in sun

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Contoured • 4 foams, including a viscoelastic layer • Polyurethane foam bottom • Bottom edges beveled to offset hammock • Sloped trochanteric shelf and ischial relief • Includes 1 set anti-gravity quick release clamps, 1 set mounting clips (1, 2, 3") 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
3.5-4"	5-6	250	2	2+
3.5-4"	5-6	450	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Outer: Water resistant, breathable • Inner: Waterproof 		
	YES	NO
Breathable	X	
Non-slip base		X
Incontinence proof	Inner	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear		X
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

INVACARE – INFINITY WITH VISCO FOAM

PREMIUM FOAM WITH VISCOELASTIC FOAM

CAT. #	SIZE	PRICE
V278	Lo or Gentle Contour 13x15/16/17, 14x15/16/17, 15x15/16/17/18/19/20, 16x15/16/17/18/19/20 17x15/16/17/18/19/20 18x15/16/17/18/19/20 19x15/16/17/18/19/20	551.70
V514	Maximum Contour 13x15/16/17, 14x15/16/17, 15x15/16/17/18/19/20 16x15/16/17/18/19/20 17x15/16/17/18/19/20 18x15/16/17/18/19/20 19x15/16/17/18/19/20	576.90
V279	Lo or Gentle Contour 20, 21& 22"	603.00
V282	Maximum Contour 20, 21& 22" (width)	628.20

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Lo Contour with Visco Foam • Gentle Contour with Visco Foam • Maximum Contour with Visco Foam • Fogel or Airflo Insert available on pages 51 & 88 • Three layers: <ol style="list-style-type: none"> 1. Base – Postural Support Layer: <ul style="list-style-type: none"> – High density polyurethane foam – Reinforced lateral levels provide firm adductor support 2. Pelvic Support Layer: <ul style="list-style-type: none"> – High density viscoelastic support pelvis and trochanters 3. Ischial Relief Inserts: <ul style="list-style-type: none"> – Viscoelastic 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V520	Custom Cut (Leg Length)	54.90
	Incontinence Cover	
V914	Rigidizer	47.70

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
	4-5	250	2	2+
Contour Height	LT	2.75"	AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V913		85.50

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Outer: Waterproof, breathable, non-slip bottom • Inner: Moisture proof, anti-microbial, zipped 		
	YES	NO
Breathable		X
Non-slip base	X	
Incontinence proof	Outer	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear		X
Velcro attachments	X	

MAINTENANCE/CARE	
Cushion	None
Cover	Outer: Machine wash cold water, gentle cycle, no bleach or fabric softener, air dry Inner: Hand clean, mild soap, warm water, rinse, hang to dry

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

INVACARE DISTRIBUTOR – MATRX-V & KIDABRA-V

PREMIUM FOAM WITH VISCOELASTIC FOAM

CAT. #	SIZE	PRICE
MATRX-V		
V400	14x15, 14x17, 16x16, 16x18, 16x20, 18x16, 18x18, 18x20	531.00
V413	20x16, 20x18, 20x20, 22x18, 22x20	580.50
V160	Widths to 30", depths to 26"	715.50
KIDABRA-V		
V302	12x12, 12x14, 14x12, 14x14	490.50

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V414	Matrx-V	112.50
V165	Matrx-V Bariatric for V160	135.00
V304	Kidabra-V	103.50

MAINTENANCE/CARE	
Cushion	None
Cover	Inner – wipeable Outer – Machine wash, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Molded polyurethane foam base Viscoelastic top layer 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive	X	
Reduces shear	X	

MATRX-V				
Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2"	2-3	300 650	2	2+
Contour Height	LT	2"	AB/AD	3"

KIDABRA-V				
Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
1.5"	2-3	150	2	2+
Contour Height	LT	1.5"	AB/AD	2.5"

COVER DESCRIPTION		
<ul style="list-style-type: none"> 2 covers Inner – incontinence proof Outer – 4-way stretch, wick moisture 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

INVACARE DISTRIBUTOR – MATRX-V & KIDABRA-V BASE

PREMIUM FOAM WITH VISCOELASTIC FOAM

CAT. #	SIZE	PRICE
	MATRX-V	
V472	14x15, 14x17, 15x16, 15x18, 16x16, 16x18, 17x16, 17x18, 18x16, 18x18, 19x16, 19x18	715.50
V473	20x16, 20x18	760.50
	KIDABRA-V	
V395	12x12, 12x14, 13x12, 13x14, 14x12, 14x14	715.50

OPTIONS		
Cat. #	Description	Price
	Base	
V487	Installation of Drop Base	22.00
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V474		85.50

MAINTENANCE/CARE	
Cushion	None
Cover	Inner – wipeable Outer – Machine wash, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Molded polyurethane foam base Viscoelastic top layer (open cell) ABS drop base – 3/8" (Kidabra-V) Plywood drop base (Matrix-V) Hooks included – 1", 2" drop or flush 1" or 7/8" tube diameter – specify 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive	X	
Reduces shear	X	

MATRX-V				
Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2.5"	4-4.5	250	2	2+
Contour Height	LT	2"	AB/AD	3"

KIDABRA-V				
Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
1.5"	2-3	150	2	2+
Contour Height	LT	1.5"	AB/AD	2.5"

COVER DESCRIPTION		
<ul style="list-style-type: none"> 2 covers Inner – incontinence proof Outer – 4-way stretch, wick moisture 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

PRIDE – SYNERGY SPECTRUM VISCOELASTIC INSERT

PREMIUM FOAM WITH VISCOELASTIC FOAM

CAT. #	SIZE	PRICE
V353	10x10, 10x12, 12x10, 12x12, 12x14, 14x12, 14x14, 14x16, 14x18, 16x16, 16x18, 16x20, 17x17, 17x19, 18x16, 18x18, 18x20, 18x22	505.08
V360	18x24 2" Increments: 19x17-19 20x16-24 22x16-24 24x16-24 26x18-28 28x18-28 30x18-28 32x18-28	551.08

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Mildly contoured foam base 1" viscoelastic top layer 3 layers viscoelastic in 2" well Solid base 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof		X
Temperature sensitive	X	
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
3.5"	3.5	650	2	3
Contour Height	LT		AB/AD	3 mm

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

COVER DESCRIPTION		
Two covers:		
<ul style="list-style-type: none"> Inner – Incontinence Outer – 4-way stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	X	

REPLACEMENT COVER		
Cat. #	Description	Price
V376	Inner – Incontinence Outer – 4-way stretch	55.20

MAINTENANCE/CARE	
Cushion	None
Cover	Washable in cold water, air dry

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	HIGH	LOW

SUNRISE MEDICAL – JAY 2
PREMIUM FOAM AND FLUID CUSHIONS

CAT. #	SIZE	PRICE
V446	2100-MJ – 18x16 2101 – 18x18 2105-MJ – 15.5x16 2106-MJ – 15.5x18 2108-MJ – 14x16 2117-MJ – 17x17	614.70
V451	2102-MJ – 20x20	821.70
V453	2104-MJ – 24x20	893.70
V454	2107-MJ – 15.5x20 2103-MJ – 18x20 2116-MJ – 20x16 2118-MJ – 20x18	708.30

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
V600	Incontinence Cover	79.20

REPLACEMENT COVER		
Cat. #	Description	Price
V036		62.10
V456	Standard sizes	79.20
V457	Large sizes	103.50

MAINTENANCE/CARE	
Cushion	Wipe with warm water and soap, rinse with clean damp cloth, wipe dry. Air dry before reassembly.
Cover	Turn inside out, zip half way closed, machine wash warm water, drip dry or low heat in dryer

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Molded foam base pad and Jay fluid flow pad Deep contour for pelvic positioning and tri-pad fluid pad Soft foam under thighs Trochanters are supported on edge of well and IT immersed If trochanter's width is significantly less than hip width, order cushion to fit trochanters, and request foam on either side to accommodate added width from soft tissue 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2.5"	5.5	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Comes with ballistic stretch fabric cover 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

SUNRISE MEDICAL – JAY XTREME

PREMIUM FOAM AND FLUID CUSHIONS

CAT. #	SIZE	PRICE
V640	944 – 14x14	568.80
	946 – 14x16	
	955 – 15x15	
	956 – 15x16	
	966 – 16x16	
	967 – 16x17	
	968 – 16x18	
	976 – 17x16	
	977 – 17x17	
V651	960 – 16x20	637.20
	980 – 18x20	
V649	900 – 20x20	734.40

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Soft molded polyurethane base with small Jay Flow fluid tripad in rear pelvic area Lateral thigh supports Designed for active clients 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2.25"	3.84	250	2	2+
Contour Height	LT		AB/AD	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Specify Tritex cover (T) or Incontinence (IC) Comes with 2 covers 		
	YES	NO
Breathable	T	IC
Non-slip base	T/IC	
Incontinence proof	IC	T
Reduce heat build-up	T	IC
Wick away moisture	T	IC
Reduces shear	T	IC
Velcro attachments	T/IC	

REPLACEMENT COVER		
Cat. #	Description	Price
V644	Tritex/Lo Shear	87.30

MAINTENANCE/CARE	
Cushion	Wipe lightly with damp cloth, do not use soap
Cover	Turn inside out, zip half way closed, machine wash warm water, drip dry or low heat in dryer

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW+	HIGH –	LOW

SUNRISE MEDICAL – JAY DUO SERIES
PREMIUM FOAM AND FLUID CUSHIONS

CAT. #	SIZE	PRICE
V641	700-MJ – 18x16 776 – 17x16 701-MJ – 18x18 705 – 16x16 778 – 17x18 706 – 16x18	460.80
V643	709 – 20x18 726 – 20x16	522.00

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
V032	Incontinence Cover	87.30

REPLACEMENT COVER		
Cat. #	Description	Price
V238	Washable stretch cover	87.30
V237	Incontinence cover	87.30

MAINTENANCE/CARE	
Cushion	Wipe with warm water and soap, rinse with clean damp cloth, wipe dry. Air dry before reassembly
Cover	Turn inside out, zip half way closed, machine wash warm water, drip dry or low heat in dryer

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Drop seat and cushion all in one Aluminum seat pan, polyurethane foam base, Jay Flow fluid pad & mounting hooks Contoured in rear for pelvic positioning Beveled front to accommodate foot propulsion Tight knee angle 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2.25"	5.8	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Comes with 2 ballistic stretch covers Velcroed to seat pan 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE+	HIGH	LOW

SUNRISE MEDICAL – JAY J2 DEEP CONTOUR

PREMIUM FOAM AND FLUID CUSHIONS

CAT. #	SIZE	PRICE
V657	2444 – 14x14 2446 – 14x16 2455 – 15x15 2457 – 15x17 2466 – 16x16 2468 – 16x18 2475 – 17x15 2477 – 17x17 2486 – 18x16 2488 – 18x18	642.60
V658	2406 – 20x16 2408 – 20x18 2460 – 16x20 2480 – 18x20	697.50
V659	2426 – 22x16 2428 – 22x18 2400 – 20x20	808.20
V665	2448 – 24x18	852.30

OPTIONS

Cat. #	Description	Price
V487	Installation of Drop Base <ul style="list-style-type: none"> removal of upholstery req'd quantity 1 per 2 years 	22.00
V027	Incontinence Cover	6.39

REPLACEMENT COVER

Cat. #	Description	Price
V663	Ballistic edged stretch	79.20
V033	Incontinence cover	90.90

MAINTENANCE/CARE

Cushion	Wipe with warm water and soap, rinse with clean damp cloth, wipe dry. Air dry before reassembly.
Cover	Turn inside out, zip half way closed, machine wash warm water, drip dry or low heat in dryer

CUSHION DESCRIPTION

- Pre-contoured deep immersion molded polyurethane foam base, ultra lightweight
- 3D Jay Flow Fluid Tri Pad, up to 3" immersion
- Soft foam under fluid for added protection
- Trochanters are supported on edge of well
- If trochanter's width is significantly less than hip width, order cushion to fit trochanters, and request foam on either side to accommodate added width from soft tissue

	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive	X- fluid	
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
4.5"	6.27	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION

- Ballistic stretch

	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

OUTCOMES

POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

SUNRISE MEDICAL – JAY J2 DEEP CONTOUR WITH SOLID DROP BASE

PREMIUM FOAM AND FLUID CUSHIONS

CAT. #	SIZE	PRICE
V660	2444D – 14x14	672.30
	2446D – 14x16	
	2455D – 15x15	
	2457D – 15x17	
	2466D – 16x16	
	2468D – 16x18	
	2475D – 17x15	
	2477D – 17x17	
V661	2406D – 20x16	748.80
	2408D – 20x18	
	2460D – 16x20	
	2480D – 18x20	
V662	2400D – 20x20	819.90
	2426D – 22x16	
	2428D – 22x18	
V666	2448D – 24x18	889.20

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Pre-contoured deep immersion molded polyurethane foam base, ultra lightweight 3D Jay Flow Fluid Tri Pad, up to 3" immersion Solid drop seat Drop hook option set of 4: .5", 1", 1.5" (std.) Trochanters are supported on edge of well If trochanter's width is significantly less than hip width, order cushion to fit trochanters, and request foam on either side to accommodate added width from soft tissue 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive	X- fluid	
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
V487	Installation of Drop Base <ul style="list-style-type: none"> removal of upholstery req'd quantity 1 per 2 years 	22.00
V027	Incontinence Cover	6.39

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
4.7"	6.27	250	2	2+
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V664	Ballistic edged stretch	85.50
V033	Incontinence cover	90.90

COVER DESCRIPTION		
<ul style="list-style-type: none"> Ballistic edged stretch Glued to base 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

MAINTENANCE/CARE	
Cushion	Wipe with warm water and soap, rinse with clean damp cloth, wipe dry. Air dry before reassembly.
Cover	Turn inside out, zip half way closed, machine wash warm water, drip dry or low heat in dryer

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

SUNRISE MEDICAL – JAY SOLUTION
PREMIUM FOAM AND FLUID CUSHIONS

CAT. #	SIZE	PRICE
V535	14X14, 15x16, 15x18, 16x16, 17x16, 17x18	539.10
V536	18x16, 18x18, 18x20, 19x18, 19x20, 20x18	561.60

OPTIONS		
Cat. #	Description	Price

REPLACEMENT COVER		
Cat. #	Description	Price
V540		98.10

MAINTENANCE/CARE	
Cushion Foam Base	Monthly cleaning Remove the cover and the sleeve from the foam base. Wipe with warm water and soap. Wipe off with a clean cloth, completely air dry.
Cover	Machine Wash in warm water and drip or tumble dry on low heat Do not dry clean covers Do not steam autoclave.
Sleeve	Wipe with warm water and soap. Wipe off with a clean cloth, air dry.

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Visco- Elastic Foam • Modular Pelvic Insert • Jay Fluid Technology • Jay Solution Foam Base • Built-In lateral Wedges 	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive	X	
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2"	4.5	250	1	1+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
•	YES	NO
Breathable Cover	X	
Reduce moisture build up	X	
Incontinence proof	Optional	X
Reduce heat build-up	X	
Easily Adjusted	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MED	MED	LOW

CAMP – RELAX EASY
PREMIUM FOAM AND FLUID CUSHIONS

CAT. #	SIZE	PRICE
V249	86707-13 – 14x16x2.5	315.00
	86707-01 – 16x16x2.5	
	86707-02 – 17x17x2.5	
	86707-03 – 18x16x2.5	
	86707-07 – 18x18x2.5	
	86707-09 – 18x20x2.5	
	86707-05 – 22x18x2.5	

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Fully rotational cushion and flippable Flogel in between 2 layers of slow recovery foam 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive	X	
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2.5"	4-4.4	300	2	2+
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V271		52.20

COVER DESCRIPTION		
<ul style="list-style-type: none"> Stretchy Velcro closure Covers are treated/protected against fungi/bacteria with Boside 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

MAINTENANCE/CARE	
Cushion	Wipe interior cover with damp cloth or mild disinfectant
Cover	Machine wash cold, dry flat

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	MODERATE	LOW

CAMP – RELAX TRIO
PREMIUM FOAM AND FLUID CUSHIONS

CAT. #	SIZE	PRICE
V234	86703-13 – 14x16x1.5 86703-01 – 16x16x1.5 86703-02 – 17x17x1.5 86703-03 – 18x16x1.5 86703-07 – 18x18x1.5	142.20

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V271		52.20

MAINTENANCE/CARE	
Cushion	Wipe interior cover with damp cloth or mild disinfectant
Cover	Machine washable, dry flat

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Three layers: <ul style="list-style-type: none"> - Top layer – slow memory foam - 2nd layer – 4 pockets of FloGel - Fast recovery foam base • Cushion can be rotated 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive	X	
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
1.5	3.3	180	1	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Stretchy • Top labeling ensures correct use and positioning • Velcro closure • Covers are treated/protected against fungi/bacteria with Boside 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	MODERATE	LOW

PRIDE – SYNERGY SOLUTION
PREMIUM FOAM AND FLUID CUSHIONS

CAT. #	SIZE	PRICE
V343	10x10, 10x12, 12x12, 12x14, 14x14, 14x16, 14x18, 16x16, 16x18, 16x20, 18x16, 18x18, 18x20, 18x22	367.08
V348	20x16, 20x18, 20x20, 20x22, 22x16, 22x18, 22x20, 22x22, 22x24, 24x18, 24x20, 24x22, 24x24	413.08

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Foam base • 1" viscoelastic top layer • Twin pack of gel insert in 1" ischial well 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof		X
Temperature sensitive	X	
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
3.5"	3.5	350	2	3
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V376	Inner – Incontinence Outer – 4-way stretch	55.20

COVER DESCRIPTION		
Two covers:		
<ul style="list-style-type: none"> • Inner – Incontinence • Outer – 4-way stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	X	

MAINTENANCE/CARE	
Cushion	None
Cover	Machine wash cold, air dry

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	MODERATE+	LOW

PRIDE – SYNERGY SPECTRUM – GEL INSERT

PREMIUM FOAM AND FLUID CUSHIONS

CAT. #	SIZE	PRICE
V386	12x10, 12x12, 12x14, 14x12, 14x14, 14x16, 14x18, 16x16, 16x18, 16x20, 18x16, 18x18, 18x20, 18x22	505.08
V387	20x16, 20x18, 20x20, 20x22, 22x16, 22x18, 22x20, 22x22, 22x24, 24x16, 24x18, 24x20, 24x22, 24x24	551.08

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Mild contoured foam base 1" viscoelastic top layer Twin pack of gel in 2" well Solid Base 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof		X
Temperature sensitive	X	
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
3.5"	3.5	350	2	3
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V376	Inner – Incontinence Outer – 4-way stretch	55.20

COVER DESCRIPTION		
Two covers:		
<ul style="list-style-type: none"> Inner – Incontinence Outer – 4-way stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	X	

MAINTENANCE/CARE	
Cushion	None
Cover	Machine wash cold, air dry

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	HIGH	LOW

ACTION – CENTURIAN

PREMIUM FOAM/POLYMER OR GEL CUSHIONS

CAT. #	SIZE	PRICE
V226	5200 – 16x16x1.25 5206 – 16x18x1.25 5205 – 18x16 5208 – 18x18	251.75
V227	521820 – 18x20 522018 – 20x18 522020 – 20x20	444.60
V103	Other sizes available	Prior Approval

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> 5/8" Akton Polymer with 5/8" foam sealed in waterproof film barrier 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up	X	
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
1.25"	7-8	250	5	5
Contour Height	LT		AB/AD	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Basic: Multi-layered breathable cover provides a near shear free barrier 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof		X
Reduce heat build-up		X
Wick away moisture	X	
Reduces shear	X	
Velcro attachments		X

REPLACEMENT COVER		
Cat. #	Description	Price
V075	Basic/Incontinence	56.05

MAINTENANCE/CARE	
Cushion	
Cover	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	MODERATE	LOW

ACTION – XACT SOFT

PREMIUM FOAM/POLYMER OR GEL CUSHIONS

CAT. #	SIZE	PRICE
V190	XS1616, XS1816, XS1818, XS1618	565.25
V193	XS1212, XS1414, XS1717, XS2018, XS2016, XS1820, XS1620, XS2020	712.50

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V194	Body Smart Cover	122.55
V522	Incontinence Cover	141.55

MAINTENANCE/CARE	
Cushion	Wipe with anti-bacterial soap
Cover	Machine wash, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Moderate contouring, multi-layer foam Vacuum seal for incontinence Akton Polymer Ethafoam base 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2.5-3"	2-6	350	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Body Smart: Multi-layered breathable cover, integration of 3 materials Incontinence: Multi-layered cover provides low shear barrier between client and seating surface 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	MODERATE	LOW

ACTION – XACT SOFT INTEGRATED BASE
PREMIUM FOAM/POLYMER OR GEL CUSHIONS

CAT. #	SIZE	PRICE
V475	XSI1616, XSI1816, XSI1618, XSI1818, XSI1820, XSI2018, XSI2020, XSI2016, XSI1620	802.75

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V194	Body Smart Cover	122.55
V477	Incontinence Cover	122.55

MAINTENANCE/CARE	
Cushion	Wipe with anti-bacterial soap
Cover	Machine washable, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Moderate contouring, multi-layer foam • Vacuum seal for incontinence • Akton Polymer • Ethafoam base 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2.5	8	350	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Body Smart: Multi-layered breathable cover, integration of 3 materials • Velcro attachments 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	MODERATE	LOW

ACTION – XACT LITE

PREMIUM FOAM/POLYMER OR GEL CUSHIONS

CAT. #	SIZE	PRICE
V500	XL1616, XL1618, XL1816, XL18x18	403.75
V503	XL1820, XL 2018, XL2020, XL2016, XL1620	475.25

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V506	Economy Cover	94.05

MAINTENANCE/CARE	
Cushion	Wipe with anti-bacterial soap
Cover	Machine washable, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Thin layer of Akton Polymer for skin protection Pre-ischel ridge maintains pelvic neutrality Lightweight and low profile 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive	X	
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2-3/4"	3.2	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Economy cover with Velcro 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	MODERATE	LOW

SUNRISE MEDICAL – JAY 2 RECLINE
PREMIUM FOAM/POLYMER OR GEL CUSHIONS

CAT. #	SIZE	PRICE
V424	2108.1A – 14x16 2105.1A – 15.5x16 2106.1A – 15.5x18 2117.1A – 17x17 2100.1A – 18x16 2101.1A – 18x18	676.80
V430	2107.1A – 15.5x20 2103.1A – 18x20 2116.1A – 20x16 2118.1A – 20x18	774.90
V429	2102.1A – 20x20	893.70
V432	2104.1A – 24x20	945.90

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Lightweight molded contoured foam and Jay Flow Recline fluid pad Pressure relief for posterior pelvic positions, open seat to back angle and reclining 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive	X-fluid	
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
V600	Incontinence Cover	79.20

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2.5"	5.5	250	2	2+
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V456	Standard sizes	79.20
V457	Large sizes	103.50

COVER DESCRIPTION		
<ul style="list-style-type: none"> Ballistic stretch cover 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	X
Velcro attachments	X	

MAINTENANCE/CARE	
Cushion	
Cover	Turn inside out, zip half way closed, machine wash warm water, drip dry or low heat in dryer

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

INVACARE – INFINITY WITH FLOGEL

PREMIUM FOAM/POLYMER OR GEL CUSHIONS

CAT. #	SIZE	PRICE
V910	Lo or Gentle Contour 13x15/16/17, 14x15/16/17, 15x15/16/17/18/19/20, 16x15/16/17/18/19/20 17x15/16/17/18/19/20 18x15/16/17/18/19/20 19x15/16/17/18/19/20	551.70
V511	Maximum Contour 13x15/16/17, 14x15/16/17, 15x15/16/17/18/19/20 16x15/16/17/18/19/20 17x15/16/17/18/19/20 18x15/16/17/18/19/20 19x15/16/17/18/19/20	576.90
V911	Lo or Gentle Contour 20, 21 & 22" (width)	603.00
V912	Maximum Contour 20, 21 & 22" (width)	628.20

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V520	Custom Cut (Leg Length)	54.90
	Incontinence Cover	
V914	Rigidizer	47.70

REPLACEMENT COVER		
Cat. #	Description	Price
V913		85.50

MAINTENANCE/CARE	
Cushion	
Cover	<ul style="list-style-type: none"> Inner: Hand clean, mild soap, warm water, rinse, hang to dry Outer: Machine wash cold water, gentle cycle, no bleach, no fabric softener, air dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Lo Contour with Flogel Gentle Contour with Flogel Maximum Contour with Flogel Visco Foam or Airflo Insert available on pages 30 & 88 Three layers: <ol style="list-style-type: none"> Base – Postural Support Layer: <ul style="list-style-type: none"> High density polyurethane foam Reinforced lateral levels provide firm adductor support Pelvic Support Layer: <ul style="list-style-type: none"> High density viscoelastic support pelvis and trochanters Ischial Relief Inserts: <ul style="list-style-type: none"> Choice of Visco foam or Flogel 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
	4-5	250	2	2+
Contour Height	LT	2.75"	AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Inner: moisture proof, anti-microbial, zipped Outer: waterproof, breathable, non-slip bottom 		
	YES	NO
Breathable		X
Non-slip base	X	
Incontinence proof	Outer	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear		X
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	HIGH	LOW

CAMP – RELAX DUOGEL
PREMIUM FOAM/POLYMER OR GEL CUSHIONS

CAT. #	SIZE	PRICE
V250	86708-01 – 16x16x3 86708-12 – 16x18x3 86708-02 – 17x17x3 86708-03 – 18x16x3 86708-07 – 18x18x3 86708-04 – 20x18x3	315.00

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V271		52.20

MAINTENANCE/CARE	
Cushion	Wipe interior cover with damp cloth or mild disinfectant
Cover	Machine wash cold, dry flat

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Trugel (solid gel) contours thigh area • Fogel (liquid gel) sacro-coccyx area for immersion • Slow recovery foam between base and Fogel • Anatomically shaped foam base • Not appropriate for clients that aggressively transfer, wear a KAFO (knee/ankle/foot orthosis) or lower limb prosthesis 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive	X	
Reduces shear	X	

Height	Weigh (lbs.)	Weight Max.	Warranty	Life Expectancy
3"	4-4.6	300	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Waterproof and washable • Stretchy and breathable • Velcro closure • Covers are treated/protected against fungi/bacteria with Boside 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE+	HIGH	LOW

CAMP – RELAX XCELL

PREMIUM FOAM/POLYMER OR GEL CUSHIONS

CAT. #	SIZE	PRICE
V241	86702-01 – 16x16x3 86702-02 – 17x17x3 86702-03 – 18x16x3	250.20
V242	86702-07 – 18x18x3 86702-04 – 20x18x3 86702-05 – 22x18x3	264.60
V246	86702-08 – 20x20x3 86702-06 – 24x18x3	286.20

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V271		52.20

MAINTENANCE/CARE	
Cushion	Wipe interior cover with damp cloth or mild disinfectant
Cover	Machine wash cold, dry flat

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> No-memory pressure relieving gel in 4 separate chambers 4 foam bumpers Can be rotated 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive	X	
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
3"	6.6-8	300	2	2+
3"	9-9.7	480	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Top labeling ensures correct use and positioning Velcro closure Stretchy, minimizes effects of shear & friction Non-slip base Incontinence cover Covers are treated/protected against fungi/bacteria with Boside 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	HIGH	LOW

OTTO BOCK – ProCONTOUR COMFORT

FOAM FILLED BLADDER CUSHIONS

CAT. #	SIZE	PRICE
V116	14x14, 14x16, 16x16, 16x18, 17x18, 18x16, 18x18, 20x16, 20x18	722.86
V117	Non-standard sizes	933.42

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V135	477C00=CMTCOV	98.70

MAINTENANCE/CARE	
Cushion	Fluff cushion daily by folding and unfolding 3-4 times. CellPak should appear rounded and full. Knead the rail bladders to evenly distribute the foam. Avoid using cushion on overly stretched seat upholstery. Foam base: Wipe with warm water and soap. Comfort Cells: Wipe cells with warm water, dry with clean cloth. CellPak: Machine wash in warm water and drip dry.
Cover	Turn cover inside out, machine wash, hang to dry

CUSHION DESCRIPTION		
	YES	NO
• Foam base sealed in polyurethane		
• Side rails foam filled bladders		
• Entire seating surface composed of Comfort cell paks – adds temperature management capabilities, can absorb up to 10 degrees F. surface for up to 4 hours		
Anti-fungal, anti-bacterial		X
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive	X	
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
3"	6 lbs.	1.02 lbs/sq in	2	2+

Weight Max. – e.g. 10x10 = 102 lbs, 20x20 = 408 lbs.

COVER DESCRIPTION		
	YES	NO
• Moisture repellent cover		
Breathable		X
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

OTTO BOCK – ADVANTAGE
FOAM FILLED BLADDER CUSHIONS

CAT. #	SIZE	PRICE
V808	AC – 14x14 AC – 14x16 AC – 15x16 AC – 16x16	466.24
V809	AC – 16x18 AC – 17x18 AC – 18x16	475.64
V811	AC – 18x18	485.04
V812	AC – 20x16	496.32
V813	AC – 20x18 AC – 22x16	511.36

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Open celled foam base and side rails • Rear seating area foam cells (6) • Lower profile than Cloud 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

Height	Weight	Weight Max.	Warranty	Life Expectancy
2.5"	2 lbs.	250	2	2+
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V819		112.80

COVER DESCRIPTION		
<ul style="list-style-type: none"> • 4-way waterproof stretch nylon 		
	YES	NO
Breathable		X
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

MAINTENANCE/CARE	
Cushion	
Cover	Machine wash, hang to dry

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	MODERATE-	LOW

OTTO BOCK – THE CLOUD
FOAM FILLED BLADDER CUSHIONS

CAT. #	SIZE	PRICE
V800	FFC – 14x14 FFC – 14x16 FFC – 15x16 FFC – 16x16	575.28
V803	FFC – 16x18 FFC – 17x17 FFC – 17x18 FFC – 18x16 FFC – 18x18	590.32
V805	FFC – 19x18 FFC – 20x16 FFC – 20x18 FFC – 20x20 FFC – 22x16 FFC – 22x18	607.24
V806	FFC – 18x20	768.92
V103	Custom Size	Prior Approval

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Foam base sealed in polyurethane • Side rails foam filled bladders • Entire seating surface composed of foam cells (12) • Different volume cells allow flexibility in positioning 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
3"	6 lbs.	1.02 lbs/sq in	2	2+
Weight Max. – e.g. 10x10 = 102 lbs, 20x20 = 408 lbs.				
Contour Height	LT		AB/AD	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

COVER DESCRIPTION		
<ul style="list-style-type: none"> • 4-way stretch nylon 		
	YES	NO
Breathable		X
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

REPLACEMENT COVER		
Cat. #	Description	Price
V819		112.80

MAINTENANCE/CARE	
Cushion	
Cover	Machine wash, hang to dry

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

SUPRACOR – STIMULITE CLASSIC FLAT

HONEYCOMB CUSHIONS

CAT. #	SIZE	PRICE
V680	CL1416 – 14x16 CL1616 – 16x16 CL1618 – 16x18 CL1816 – 18x16 CL1818 – 18x18 CL2016 – 20x16 CL2018 – 20x18	611.00
V103	Custom Size	Prior Approval

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Perforated honeycomb, air circulates 3 layers of different stiffness Flat bottom, requires solid base if on upholstery or provide sling option 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V682	Custom Cut	77.08
	Incontinence Cover	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2.75"	>3	250	2	2+
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V686		124.08

COVER DESCRIPTION		
<ul style="list-style-type: none"> Specify flat bottom Incontinent pad may be placed beneath cushion, inside the cover 		
	YES	NO
Breathable	X	
Non-slip base		X
Incontinence proof		X
Reduce heat build-up	X	
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

MAINTENANCE/CARE	
Cushion	Must be washed every 2 weeks Machine washable and dryable Comes with laundry bag
Cover	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	MODERATE	LOW

SUPRACORE – STIMULITE CLASSIC SLING
HONEYCOMB CUSHIONS

CAT. #	SIZE	PRICE
V683	CL1416S – 14x16 CL1616S – 16x16 CL1618S – 16x18 CL1816S – 18x16 CL1818S – 18x18 CL2016S – 20x16 CL2018S – 20x18	634.50
V103	Custom Size	Prior Approval

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Perforated honeycomb, air circulates 3 layers of different stiffness Sling bottom, required if upholstery hammock is more than 1" 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V682	Custom Cut	77.08
	Incontinence Cover	

Height	Weight	Weight Max.	Warranty	Life Expectancy
2.75"	3 lbs.	250	2	2+
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V686		124.08

COVER DESCRIPTION		
<ul style="list-style-type: none"> Specify sling Incontinent pad may be placed beneath cushion, inside the cover 		
	YES	NO
Breathable	X	
Non-slip base		X
Incontinence proof		X
Reduce heat build-up	X	
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

MAINTENANCE/CARE	
Cushion	Must be washed every 2 weeks Machine washable and dryable Comes with laundry bag
Cover	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	MODERATE	LOW

SUPRACOR – STIMULITE CONTOURED

HONEYCOMB CUSHIONS

CAT. #	SIZE	PRICE
V692	CD1416 – 14x16 CD1616 – 16x16 CD1618 – 16x18 CD1816 – 18x16 CD1818 – 18x18	705.00
V103	Custom Size	Prior Approval

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V682	Custom Cut	77.08
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V694		172.96

MAINTENANCE/CARE	
Cushion	Must be washed every 2 weeks Machine washable and dryable Comes with laundry bag
Cover	

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Perforated honeycomb, air circulates Subtle contour Rear dish feature – softer honeycomb for ischials and coccyx Flat bottom, requires solid base if on upholstery or provide sling option 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
3"	3 lbs.	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Contoured cover Specify flat bottom Incontinent pad may be placed beneath cushion, inside the cover 		
	YES	NO
Breathable	X	
Non-slip base		X
Incontinence proof		X
Reduce heat build-up	X	
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	MODERATE	LOW

SUPRACOR – STIMULITE CONTOURED SLING
HONEYCOMB CUSHIONS

CAT. #	SIZE	PRICE
V693	CD1416S – 14x16 CD1616S – 16x16 CD1618S – 16x18 CD1816S – 18x16 CD1818S – 18x18	736.02
V103	Custom Size	Prior Approval

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V682	Custom Cut	77.08
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V694		172.96

MAINTENANCE/CARE	
Cushion	Must be washed every 2 weeks Machine washable and dryable Comes with laundry bag
Cover	

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Perforated honeycomb, air circulates Subtle contour Rear dish feature – softer honeycomb for ischials and coccyx Sling bottom, required if upholstery hammock is more than 1" 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
3"	3 lbs.	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Specify sling Incontinent pad may be placed beneath cushion, inside the cover 		
	YES	NO
Breathable	X	
Non-slip base		X
Incontinence proof		X
Reduce heat build-up	X	
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	MODERATE	LOW

SUPRACOR – STIMULITE PEDIATRIC CORBEE FLAT

HONEYCOMB CUSHIONS

CAT. #	SIZE	PRICE
V696	PD1010 – 10x10 PD1212 – 12x12 PD1414 – 14x14	369.42

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V682	Custom Cut	77.08
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V686		124.08

MAINTENANCE/CARE	
Cushion	Must be washed every 2 weeks Machine washable and dryable Comes with laundry bag
Cover	

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Perforated honeycomb, air circulates 2 layers of different stiffness Flat bottom, requires solid base if on upholstery or provide sling option 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2"	1-2	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Specify flat Incontinence pad may be placed beneath cushion, inside the cover 		
	YES	NO
Breathable	X	
Non-slip base		X
Incontinence proof		X
Reduce heat build-up	X	
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	MODERATE	LOW

SUPRACOR – STIMULITE PEDIATRIC CORBEE SLING
HONEYCOMB CUSHIONS

CAT. #	SIZE	PRICE
V697	PD1010S – 10x10 PD1212S – 12x12 PD1414S – 14x14	401.85

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V682	Custom Cut	77.08
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V686		124.08

MAINTENANCE/CARE	
Cushion	Must be washed every 2 weeks Machine washable and dryable Comes with laundry bag
Cover	

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Perforated honeycomb, air circulates 2 layers of different stiffness Sling bottom, required if upholstery hammock is more than 1" 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2"	1-2	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Specify sling bottom Incontinent pad may be placed beneath cushion, inside the cover 		
	YES	NO
Breathable	X	
Non-slip base		X
Incontinence proof		X
Reduce heat build-up	X	
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	MODERATE	LOW

ACTION – PILOT
POLYMER CUSHIONS

CAT. #	SIZE	PRICE
V228	9000 – 16x16x1 9005 – 18x16x1 9006 – 16x18x1 9008 – 18x18x1	294.50
V230	901820 – 18x20 902016 – 20x16 902018 – 20x18 902020 – 20x20	409.45
V103	Custom/Other Sizes	Prior Approval

CUSHION DESCRIPTION		
• 1" Akton Polymer Pad		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up	X	
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
1"	10 lbs.	none	5	5+
Contour Height	LT		AB/AD	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

COVER DESCRIPTION		
• Basic: Multi-layered breathable cover provides a near shear free barrier		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof		X
Reduce heat build-up		X
Wick away moisture	X	
Reduces shear	X	
Velcro attachments		X

REPLACEMENT COVER		
Cat. #	Description	Price
V075	Basic/Incontinence	56.05

MAINTENANCE/CARE	
Cushion	Wipe with antibacterial soap
Cover	Machine washable, dryer low heat

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	MODERATE	LOW

NIGHTHAWK – GEL SUSPENSION PAD
POLYMER CUSHIONS

CAT. #	SIZE	PRICE
V307	16x16, 18x16, 18x18	180.00
V308	20x16, 20x18	247.50

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price

MAINTENANCE/CARE	
Cushion	Wash with soap
Cover	

CUSHION DESCRIPTION		
	YES	NO
• 5/8" Akton polymer cube pad		
• Non-slip dycem on gel		
Anti-fungal, anti-bacterial	X	
Reduce heat build-up		
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
5/8"	4 lbs.	250	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
	YES	NO
• Optional – double knit		
Breathable	X	
Non-slip base	X	
Incontinence proof		X
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW	MODERATE	LOW

ROHO – HIGH PROFILE 4" SINGLE COMPARTMENT

AIR FLOATATION CUSHIONS

CAT. #	SIZE	PRICE
V515	1R66C – 12x12 1R67C – 12x13 1R88C – 15x15 1R89C – 15x17 1R99C – 17x17 1R910C – 17x19 1R109C – 19x17 1R1010C – 19x19	547.77
V519	C ROHO – Custom Size	622.17

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
V638	Incontinence Cover	125.55

REPLACEMENT COVER		
Cat. #	Description	Price
V526	Standard Size	83.70
V527	Custom Size	97.65
V639	Incontinence Cover	125.55

MAINTENANCE/CARE	
Cushion	Close valve, submerge in water, soft brush
Cover	Machine washable, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Pressure Adjustable air filled neoprene rubber cells Comes with hand pump and basic repair kit 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
4"	3.5 lbs	None	2	3+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Standard Cover: 4-way stretch, 80% nylon, 20% lycra Incontinence Cover: Polyurethane, 2-way stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Option	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	HIGH	HIGH

ROHO – HIGH PROFILE 4" DUAL COMPARTMENT AIR FLOATATION CUSHIONS

CAT. #	SIZE	PRICE
V528	2R66C – 12x12 2R67C – 12x13 2R88C – 15x15 2R89C – 15x17 2R99C – 17x17 2R910C – 17x19 2R109C – 19x17 2R1010C – 19x19	566.37
V532	C-ROHO Custom Size	659.37

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
V638	Incontinence Cover	125.55

REPLACEMENT COVER		
Cat. #	Description	Price
V526	Standard Size	83.70
V527	Custom Size	97.65
V639	Incontinence Cover	125.55

MAINTENANCE/CARE	
Cushion	Close valve, submerge in water, soft brush
Cover	Machine washable, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Pressure adjustable, air filled neoprene rubber cells Comes with hand pump and basic repair kit 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
4"	3.5 lbs	None	2	3+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Standard Cover: 4-way stretch, 80% nylon, 20% lycra Incontinence Cover: Polyurethane, 2-way stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	HIGH	HIGH

ROHO – LOW PROFILE 2" SINGLE COMPARTMENT

AIR FLOATATION CUSHIONS

CAT. #	SIZE	PRICE
V539	1R66LPC – 12x12 1R67LPC – 12x13 1R88LPC – 15x15 1R89LPC – 15x17 1R99LPC – 17x17 1R910LPC – 17x19 1R109LPC – 19x17 1R1010LPC – 19x19	547.77
V544	C ROHO Custom Size	659.37

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
V638	Incontinence Cover	125.55

REPLACEMENT COVER		
Cat. #	Description	Price
V526	Standard Size	83.70
V527	Custom Size	97.65
V639	Incontinence Cover	125.55

MAINTENANCE/CARE	
Cushion	Close valve, submerge in water, soft brush
Cover	Machine washable, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Pressure adjustable, air filled neoprene rubber cells • Comes with hand pump and basic repair kit • For active user 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2"	2.75	None	2	3+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Standard Cover: 4-way stretch, 80% nylon, 20% lycra • Incontinence Cover: Polyurethane, 2-way stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	HIGH	HIGH

ROHO – LOW PROFILE 2" DUAL COMPARTMENT AIR FLOATATION CUSHIONS

CAT. #	SIZE	PRICE
V555	2R66LPC – 12x12 2R67LPC – 12x13 2R88LPC – 15x15 2R89LPC – 15x17 2R99LPC – 17x17 2R910LPC – 17x19 2R109LPC – 19x17 2R1010LPC – 19x19	566.37
V560	C ROHO Custom Size	659.37

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Base	
	Custom Cut	
V638	Incontinence Cover	125.55

REPLACEMENT COVER		
Cat. #	Description	Price
V526	Standard Size	83.70
V527	Custom Size	97.65
V639	Incontinence Cover	125.55

MAINTENANCE/CARE	
Cushion	Close valve, submerge in water, soft brush
Cover	Machine washable, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Pressure adjustable, air filled neoprene rubber cells Comes with hand pump and basic repair kit For active user 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2"	2.75	None	2	3+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Standard Cover: 4-way stretch, 80% nylon, 20% lycra Incontinence Cover: Polyurethane, 2-way stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	HIGH	HIGH

ROHO – QUADTRO SELECT HIGH PROFILE 4 VALVE 4"

AIR FLOATATION CUSHIONS

CAT. #	SIZE	PRICE
V566	QUADS66C – 12x12 QUADS67C – 12x13 QUADS88C – 15x15 QUADS89C – 15x17 QUADS99C – 17x17 QUADS910C – 17x19 QUADS109C – 19x17 QUADS1010C – 19x19	668.67
V573	QUAD C Custom Size	743.07

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
V638	Incontinence Cover	125.55

REPLACEMENT COVER		
Cat. #	Description	Price
V526	Standard Size	83.70
V527	Custom Size	97.65
V639	Incontinence Cover	125.55

MAINTENANCE/CARE	
Cushion	Close valve, submerge in water, soft brush
Cover	Machine washable, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Pressure adjustable, air filled neoprene rubber cells Comes with hand pump and basic repair kit Allows for positioning and enhanced stability 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
4"	4.6	None	3	3+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Standard Cover: 4-way stretch, 80% nylon, 20% lycra Incontinence Cover: Polyurethane, 2-way stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear		X
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	HIGH

<h1 style="margin: 0;">ROHO – QUADTRO SELECT LOW PROFILE 4 VALVE 2"</h1> <h2 style="margin: 0;">AIR FLOATATION CUSHIONS</h2>
--

CAT. #	SIZE	PRICE
V578	QUADS66LPC – 12x12 QUADS67LPC – 12x13 QUADS88LPC – 15x15 QUADS89LPC – 15x17 QUADS99LPC – 17x17 QUADS910LPC – 17x19 QUADS1010LPC – 19x19	668.67
V584	QUAD C Custom Size	715.17

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Pressure adjustable, air filled neoprene rubber cells Comes with hand pump and basic repair kit Allows for positioning and enhanced stability 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
V638	Incontinence Cover	125.55

Height	Weight	Weight Max.	Warranty	Life Expectancy
2	3.3 lbs	None	2	3+
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V526	Standard Size	83.70
V527	Custom Size	97.65
V639	Incontinence Cover	125.55

COVER DESCRIPTION		
<ul style="list-style-type: none"> Standard Cover: 4-way stretch, 80% nylon, 20% lycra Incontinence Cover: Polyurethane, 2-way stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

MAINTENANCE/CARE	
Cushion	Close valve, submerge in water, soft brush
Cover	Machine washable, hang to dry

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	HIGH

ROHO – ENHANCER DUAL VALVE

AIR FLOATATION CUSHIONS

CAT. #	SIZE	PRICE
V588	ENH66C – 12x12 ENH67C – 12x13 ENH88C – 15x15 ENH89C – 15x17 ENH99C – 17x17 ENH910C – 17x19 ENH109C – 19x17	585.90
V595	ENH-C Custom Size	646.35

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
V638	Incontinence Cover	125.55

REPLACEMENT COVER		
Cat. #	Description	Price
V526	Standard Size	83.70
V527	Custom Size	97.65
V639	Incontinence Cover	125.55

MAINTENANCE/CARE	
Cushion	Close valve, submerge in water, soft brush
Cover	Machine washable, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Pressure adjustable, air filled neoprene rubber cells Comes with hand pump and basic repair kit Contoured, variable height cells 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
	4 lbs.	None	2	3+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Standard Cover: 4-way stretch, 80% nylon, 20% lycra Incontinence Cover: Polyurethane, 2-way stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	HIGH	HIGH

ROHO – CONTOUR SELECT

AIR FLOATATION CUSHIONS

CAT. #	SIZE	PRICE
V114	CS88C – 15x15 CS89C – 15x17 CS99C – 17x17 CS109C – 19x17 CS910C – 17x19 CS1010C – 19x19	668.67
V115	CS Custom Size	715.17

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
V638	Incontinence Cover	125.55

REPLACEMENT COVER		
Cat. #	Description	Price
V526	Standard Size	83.70
V527	Custom Size	97.65
V639	Incontinence Cover	119.97

MAINTENANCE/CARE	
Cushion	Close valve, submerge in water, soft brush
Cover	Machine washable, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Pressure adjustable, air filled neoprene rubber cells Comes with hand pump and basic repair kit Contoured, variable height cells in four quadrants Iso Flo control – controls each quadrant separately 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
	4 lbs.	None	3	3+
Contour Height	LT	2-4"	AB/AD	4"

COVER DESCRIPTION		
<ul style="list-style-type: none"> Standard Cover: 4-way stretch, 80% nylon, 20% lycra Or as an option: Incontinence Cover: Polyurethane, 2-way stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	HIGH

DAN MEDICA SOUTH LTD. – DEBBONAIR DYNAMICS FROM ESSENTIAL REHAB SOLUTIONS INC

AIR FLOATATION CUSHIONS

CAT. #	SIZE	PRICE
V199	14x14 to 18x18	555.75

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V517		76.00

MAINTENANCE/CARE	
Cover	Wash and hang to dry, no autoclave
Cushion	Wash with antibacterial soap, washing machine and or autoclave

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • Pressure adjustable air filled injected moulded neoprene rubber, high frequency weld ensures the cushion will NOT have any separation issues • Single or dual valve • Hand pump, repair kit. • Manufactured from hospital grade PVC, non-allergenic and anti-microbial. 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up	X	
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight	Weight Max.	Warranty	Life Expectancy
2" / 4"	4 lbs.	N/A	3	5+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Rubber non-skid on the bottom, Velcro attachments and breathable Lycra cover. 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof		X
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE	HIGH	HIGH

ROHO – NEXUS SPIRIT
AIR FLOATATION CUSHIONS WITH FOAM OR GEL

CAT. #	SIZE	PRICE
V620	NS1616C – 16x16 NS1618C – 16x18 NS1717C – 17x17 NS1816C – 18x16 NS1818C – 18x18 NS2018C – 20x18	544.05
V204	Custom sizes: NS1414C NS1416C NS1515C With dual valve: NS2-1414C NS2-1416C NS2-1515C	566.37

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Dual Valve 2" High Cells Contoured foam base with rear section of neoprene rubber air cells Comes with hand pump and basic repair kit 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
V638	Incontinence Cover – 4"	125.55

Height	Weight	Weight Max.	Warranty	Life Expectancy
2"	3 lbs.	250	2	2+
Contour Height	LT		AB/AD	

REPLACEMENT COVER		
Cat. #	Description	Price
V526	Comes with non-slip stretch washable cover	83.70
V639	Incontinence Cover, 4-way stretch non-slip base	125.55

COVER DESCRIPTION		
<ul style="list-style-type: none"> Stretch 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Optional	X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments	X	

MAINTENANCE/CARE	
Cushion	Close valve, submerge in water, soft brush
Cover	Machine washable, hang to dry

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
MODERATE+	HIGH	MODERATE

CAMP – RELAX GELCELL

AIR FLOATATION CUSHIONS WITH FOAM OR GEL

CAT. #	SIZE	PRICE
V253	86709-00 – 15x14x1.5 86709-01 – 16x16x2 86709-02 – 17x17x2 86709-03 – 18x16x2 86709-07 – 18x18x2	430.20

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V271		52.20

MAINTENANCE/CARE	
Cushion	Wash with antibacterial soap
Cover	Machine wash, hang to dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> • 36 interconnected air-filled polyurethane cells, each covered with a layer of pressure relieving silicone-based Trugel • Trugel maintains body temperature better than air • One Valve • Not appropriate for clients that aggressively transfer, wear a KAFO (knee/ankle/foot orthosis) or lower limb prosthesis 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
2"	3.1-3.7	300	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> • Stretchy (Lycra top) • Top and back labeling ensures correct positioning • Velcro closure • Covers are treated/protected against fungi/bacteria with Boside 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof		X
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
LOW+	HIGH	LOW

CAMP – RELAX GELCELL CONTOUR

AIR FLOATATION CUSHIONS WITH FOAM OR GEL

CAT. #	SIZE	PRICE
V391	86712-10 – 14x14x1.5 86712-11 – 15x15x1.5 86712-01 – 16x16x1.5 86712-12 – 16x18x1.5 86712-02 – 17x17x1.5 86712-03 – 18x16x1.5 86712-07 – 18x18x1.5	448.20

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V392	02671 All Sizes	52.20

MAINTENANCE/CARE	
Cushion	Rinse cushion with water and mild disinfectant solution
Cover	Machine wash 40°C, dry flat or tumble dry low

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Air and gel floatation cushion made with polyurethane film and silicone gel 24 air-filled cells in both left and right chambers allowing for independent adjustments Easy to maintain polyurethane exterior Posterior area has a contoured cell range that enhances posture and proper positioning Trugel (silicone gel) maintains body temperature better than air alone Lightweight and easily transportable 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up	X	
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive	X	
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
1.5"	3.5	300	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Bottom half is polyurethane coated anti-slip Top half is Lycra Fabric interior acts as a fire barrier Covers are treated/protected against fungi/bacteria with Boside 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	HIGH

CAMP – RELAX GELCELL CONTOUR PLUS

AIR FLOATATION CUSHIONS WITH FOAM OR GEL

CAT. #	SIZE	PRICE
V393	8612P10 – 14x14x3 8612P11 – 15x15x3 8612P01 – 16x16x3 8612P12 – 16x18x3 8612P02 – 17x17x3 8612P03 – 18x16x3 8612P07 – 18x18x3	514.80

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V394	02661 All Sizes	88.20

MAINTENANCE/CARE	
Cushion	Remove Velcro attached foam base and rinse cushion with water and mild disinfectant solution
Cover	Machine wash 40°C, dry flat or tumble dry low

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Air and gel floatation cushion made with polyurethane film and silicone gel 24 air-filled cells in both left and right chambers allowing for independent adjustments Easy to maintain polyurethane exterior Posterior area has a contoured cell range that enhances posture and proper positioning Trugel (silicone gel) maintains body temperature better than air alone Lightweight and easily transportable 100% polyurethane foam base 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up	X	
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive	X	
Reduces shear	X	

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
3"	3.5-4.4	300	2	2+
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Bottom half is polyurethane coated anti-slip Top half is Lycra Fabric interior is Proban knitted fabric, acts as a fire barrier 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	X	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear	X	
Velcro attachments		X

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	HIGH

VARILITE – EVOLUTION PSV

AIR FLOATATION CUSHIONS WITH FOAM OR GEL

CAT. #	SIZE	PRICE
V433	Standard to 250 lbs. 12x14, 14x14, 14x16, 14x18, 14x20, 15x15, 15x17, 16x14, 16x16, 16x18, 16x20, 17x17, 18x16, 18x18, 18x20, 20x16, 20x18, 20x20	676.80
V434	Bariatric to 750 lbs. 22x18, 22x20, 24x18, 24x20	719.10

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V436		126.90
V438	Bariatric	169.20

MAINTENANCE/CARE	
Cushion	<ul style="list-style-type: none"> Wipe down with warm water and mild detergent. The valve must be opened at least weekly, and cushion left overnight with the weight off to fully inflate the cushion.
Cover	Machine wash (140°F/60°C) and line dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Self-inflating air-foam floatation cushion Pressure distribution achieved by releasing air from the cushion via the PSV™ (Pressure Setting Valve) & immersing user into cushion 3 different foam stiffness areas create contouring for postural support Cushion is bonded to a 4-way stretch fabric that is puncture resistant and waterproof 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up	X	X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	X

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
3.5"	1-2	250	2	5
3.5"	3	650	2	5
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Available with mesh or incontinence cover with breathable 4-way stretch material Layer of reticulated foam promotes air exchange to reduce heat & moisture build-up 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Available	X
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

<h2 style="margin: 0;">VARILITE – EVOLUTION WAVE</h2> <h3 style="margin: 0;">STANDARD VALVE OR PSV</h3> <h4 style="margin: 0;">AIR FLOATATION CUSHIONS WITH FOAM OR GEL</h4>
--

CAT. #	SIZE	PRICE
V186	12x14, 14x14, 14x16, 14x18, 14x20, 15x15, 15x17, 16x14, 16x16, 16x18, 16x20, 17x17, 18x16, 18x18, 18x20, 20x16, 20x18, 20x20	705.00
V189	Bariatric to 750 lbs. 22x18, 22x20, 24x18, 24x20	822.50

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
	Custom Cut	
	Incontinence Cover	

REPLACEMENT COVER		
Cat. #	Description	Price
V436		126.90
V438	Bariatric	169.20

MAINTENANCE/CARE	
Cushion	<ul style="list-style-type: none"> Wipe down with warm water and mild detergent. The valve must be opened at least weekly, and cushion left overnight with the weight off to fully inflate the cushion.
Cover	Machine wash (140°F/60°C) and line dry

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Self-inflating air-foam floatation cushion Pressure distribution achieved by releasing air from the cushion via the PSV™ (Pressure Setting Valve) & immersing user into cushion 3 different foam stiffness areas create contouring for postural support Cushion is bonded to a 4-way stretch fabric that is puncture resistant and waterproof 		
	YES	NO
Anti-fungal, anti-bacterial		X
Reduce heat build-up	X	X
Reduce moisture build-up		X
Incontinence proof	X	
Temperature sensitive		X
Reduces shear	X	X

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
3.5"	1-2	250	2	5
3.5"	3	650	2	5
Contour Height	LT		AB/AD	

COVER DESCRIPTION		
<ul style="list-style-type: none"> Available with mesh or incontinence cover with breathable 4-way stretch material Layer of reticulated foam promotes air exchange to reduce heat & moisture build-up 		
	YES	NO
Breathable	X	
Non-slip base	X	
Incontinence proof	Available	X
Reduce heat build-up	X	
Wick away moisture	X	
Reduces shear	X	
Velcro attachments	X	

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

INVACARE – INFINITY WITH AIRFLO

AIR FLOATATION CUSHIONS WITH FOAM OR GEL

CAT. #	SIZE	PRICE
V286	Lo or Gentle Contour 13x15/16/17, 14x15/16/17, 15x15/16/17/18/19/20 16x15/16/17/18/19/20 17x15/16/17/18/19/20 18x15/16/17/18/19/20 19x15/16/17/18/19/20	601.20
V516	Maximum Contour 13x15/16/17, 14x15/16/17, 15x15/16/17/18/19/20 16x15/16/17/18/19/20 17x15/16/17/18/19/20 18x15/16/17/18/19/20 19x15/16/17/18/19/20	626.40
V287	Lo or Gentle Contour 20, 21& 22" (width)	652.50
V288	Maximum Contour 20, 21& 22" (width)	677.70

CUSHION DESCRIPTION		
<ul style="list-style-type: none"> Lo Contour with Airflo Gentle Contour with Airflo Maximum Contour with Airflo Visco Foam or Flogel Insert available on pages 30 and 51 Three layers: <ol style="list-style-type: none"> Base – Postural Support Layer: <ul style="list-style-type: none"> High density polyurethane foam Reinforced lateral levels provide firm adductor support Pelvic Support Layer: High density viscoelastic support pelvis and trochanters Ischial Relief Inserts: AirFlo 		
	YES	NO
Anti-fungal, anti-bacterial	X	
Reduce heat build-up		X
Reduce moisture build-up		X
Incontinence proof		X
Temperature sensitive		X
Reduces shear	X	

OPTIONS		
Cat. #	Description	Price
	Base	
	Installation of Drop Base	
V520	Custom Cut (Leg Length)	54.90
	Incontinence Cover	
V914	Rigidizer	47.70

Height	Weight (lbs.)	Weight Max.	Warranty	Life Expectancy
	4-5	250	2	2+
Contour Height	LT	2.25"	AB/AD	2.25-2.75

REPLACEMENT COVER		
Cat. #	Description	Price
V289		99.90

COVER DESCRIPTION		
<ul style="list-style-type: none"> Inner: moisture proof, anti-microbial, zipped Outer: waterproof, breathable, non-slip bottom 		
	YES	NO
Breathable		X
Non-slip base	X	
Incontinence proof	Outer	
Reduce heat build-up		X
Wick away moisture		X
Reduces shear		X
Velcro attachments	X	

MAINTENANCE/CARE	
Cushion	
Cover	<ul style="list-style-type: none"> Inner: Hand clean, mild soap, warm water, rinse, hang to dry Outer: Machine wash cold water, gentle cycle, no bleach, no fabric softener, air dry

OUTCOMES		
POSTURAL STABILITY	PRESSURE RELIEF	PRESSURE REDUCTION
	Designed to load some areas and off-load others	Total immersion / pressure equalization, i.e. air floatation cells
HIGH	HIGH	LOW

WHEELCHAIR TRAYS / TROUGHS

WESTERN HOME MEDICAL			
WHEELCHAIR TRAYS – PADDED			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V790	5231 – 24x20	187.20	Padded 1½", no lip, Velcro attachment
V058	5235 – 24x20	230.40	Padded 1½", no lip, plastic slide brackets
V118	5247	167.40	Padded, ½ lap tray, comes with slide-on bracket
OPTIONS			
V494	Arm or Elbow Stop Maximum quantity: 3/2 years for V494 and V125	59.40	Maximum 2 per tray
V710	Tray Customization	53.50	Price represents 1 hour labour – supplier must charge only actual time up to 1 hour to customize
V125	5240 Maximum quantity: 3/2 years for V125 and V494	71.10	Padded lateral support
V121	5258	59.40	Plastic lip option for padded tray
WHEELCHAIR TRAYS – CLEAR			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V749	5200 – 24x20	190.80	¼" clear, 1" raised lip, 2" Velcro strap attachment
V065	5205 – 24x20	252.00	3/8" clear, 1" raised lip, Velcro attachments
V061	Custom Size		
V119	5207	153.00	½ lap tray clear, comes with slide-on bracket
OPTIONS			
V069	Plastic Side Brackets	61.20	Plastic side brackets for clear trays (pair)
V710	Tray Customization	53.50	Price represents 1 hour labour – supplier must charge only actual time up to 1 hour to customize
V125	5240	71.10	Padded lateral support

WHEELCHAIR TRAYS / TROUGHS

VISION WHEELCHAIR SEATING SYSTEM INC			
FULL LAP TRAY			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V705	V09021 V6, ¼" Clear 23x19.5 V09022 V6, ¼" Clear 21x18.5	269.80	¼" clear plastic, padded for elbow, 30 month warranty, Velcro straps
V707	V09029 V6, ¼" Clear Custom	350.55	
V724	V09031 3/8" Clear 23x19.5 V09032 3/8" Clear 21x18.5	370.50	3/8" clear plastic, padded for elbow, 30 month warranty, Velcro straps
V709	V09039 3/8" Custom Size	482.60	
OPTIONS			
V710	Tray Customization	53.50	Additional charge
V.G. HALF LAP TRAY			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V719	V09011	358.15	
V720	V09019 Custom Size	479.75	
V.G. ADJUSTABLE ARM TROUGH			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V726	V09041L or V09041R	538.65	½ lap tray with adjustable arm trough, Velcro straps, contoured, lined with soft foam, covered in stretch fabric, mounted on top of V.G. Half Lap Tray, positioned forward or back, 29 fixed settings can be achieved

WHEELCHAIR TRAYS / TROUGHS

INVACARE

LAP TRAYS

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V745	LTACL	167.40	Clear plastic, Velcro – Adult
V745	LTCLL	167.40	Clear plastic, Velcro – Child
V747	LTUL	242.10	Clear plastic, Velcro, swing away – Left
V747	LTUR	252.90	Clear plastic, Velcro, swing away - Right

WHEELCHAIR TRAYS

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V746	LT02A / W12 – 12-14" LT02A / W14 – 14-16" LT02A / W16 – 16-18" LT02A / W18 – 18-20"	252.90	Clear plastic with cutout
V746	LT04A / W14 – 14-16" LT04A / W16 – 16-18" LT04A / W18 – 18-20"	252.90	Clear plastic without cutout
V727	LT01A / W12 – 12-14" LT01A / W14 – 14-16" LT01A / W16 – 16-18" LT01A / W18 – 18-20"	220.50	Black plastic with cutout
V727	LT03A / W14 – 14-16" LT03A / W16 – 16-18" LT03A / W18 – 18-20"	220.50	Black plastic without cutout

OPTIONS

V710	Tray Customization	53.50	Price represents 1 hour labour – supplier must charge only actual time up to 1 hour to customize
------	--------------------	-------	--

OTTO BOCK

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V731	Channel Forearm (436A2) Plus Hand pad	161.68	Black sealed foam armrest Select hand pad type: flat, palm extensor, horn, cone
V732	Swivel Elevating Unit 436EI	169.20	Specify right or left
V003	Hand Pad Replacement Only	67.21	Cone, horn, palm or flat

WHEELCHAIR TRAYS / TROUGHS

NIGHTHAWK			
WHEELCHAIR TRAYS – PADDED			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V776	1.150	193.50	<ul style="list-style-type: none"> • Padded vinyl tray – 1" depth • Adjustable for wheelchair width • Choice of strap closure
V777	1.151 with 1 lateral	262.35	
V778	1.152 with 2 laterals	341.55	
V091	½ Lap Tray 1161 Padded 1162 Clear	174.60	<ul style="list-style-type: none"> • Flips away, specify right or left ½" foam padding, vinyl cover with zipper • Flips away, specify right or left ½" lexan padding, vinyl cover with zipper
OPTIONS			
V779	1.153 oversized 18"	45.00	Additional charge
V710	Tray Customization	53.50	Price represents 1 hour labour – supplier must charge only actual time up to 1 hour to customize

PERSONAL AIDE WOODCRAFTS			
FULL TRAYS			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V035	16-18" 18-20"	338.37	<ul style="list-style-type: none"> • Plywood lacquered • Spill guard lip • 4 lbs. • Bayonet mounting – slide on • Full desk arms • Back strap

WHEELCHAIR TRAYS / TROUGHS

INNOVATORS			
WHEELCHAIR TRAYS – PADDED			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V775	#S069 20x24	187.20	Padded vinyl – 1" depth, Velcro attachment
LATERAL SUPPORT TROUGH TRAY ASSEMBLY			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V549	Arm trough on tray S139	360.00	Includes slide on / flip up bracket, extended lateral and extended curved elbow stop
LATERAL SUPPORT TRAYS			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V548	Full Trays #S054 12-14", 14-16", 16-18" Clear Trays Half Trays Trough Trays	222.30	All trays have T-nuts to accommodate accessories that are adjustable and removable: <ul style="list-style-type: none"> • Padded vinyl 1" depth, Velcro or slide-on bracket attachment • Polyester clear plastic, padded in elbow area, Velcro or slide-on bracket attachment • Padded vinyl 1" depth, attaches to arm with flip-up hinge
OPTIONS			
V547	1, 2 or 3 Accessories Maximum quantity: 3/2 years	72.90	<ul style="list-style-type: none"> • Elbow stop straight • Elbow stop curved • Elbow stop curved extended • Lateral support • Lateral support extended • Clear overlay for speech board • Hand block
V773	Custom Size	41.40	Additional charge
V710	Tray Customization	53.50	Price represents 1 hour labour – supplier must charge only actual time up to 1 hour to customize

Indicate quantity on authorization form

TRANSFER BOARDS

I.N.C.			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V755	6040 – 24"	34.17	Transfer Board
V756	6041 – 30"	34.64	Transfer Board

PARSONS			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V759	16C045 – 9" x 24"	34.65	Transfer Board up to 250 lbs.
V760	16C046 – 9" x 28"	36.68	Transfer Board up to 250 lbs.
V158	16C046SG – 9" x 28"	47.66	Transfer Board with Safety Grip up to 500 lbs.

PERSONAL AIDE WOODCRAFTS			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V008	Model 20 – 19"	82.03	Load capacity 200-250 lbs.
V015	Model 23 – 23"	90.00	Load capacity 200-250 lbs.
V017	Model 28 – 28"	90.00	Load capacity 200-250 lbs.
V080	Model 30 HD	108.00	Heavy duty load capacity up to 500 lbs.
V019	Model 23R – 23"	90.00	Load Capacity 200-250 lbs. Cut-outs for wheelchair wheels

WESTERN HOME MEDICAL			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V168	7532 -30" 7533 -24"	43.20	Load capacity 250 lbs Load capacity 250 lbs
V170	7536 -24" 7538 - 29"	106.65	Heavy duty load capacity 450 lbs Heavey duty load capacity 450 lbs
V172	7540-24" 7542 29"	113.40	Heavy duty with wheel notches load capacity 450 lbs Heavy duty with wheel notches load capacity 450 lbs.
V173	7544 32"	163.80	Bariatric 650 lbs load capacity

AMPUTEE BOARDS & PADS

PERSONAL AIDE WOODCRAFTS

AMPUTEE BOARDS

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V622	Amputee Board	315.00	Up to 250 lbs. Up to 18-20" chair <ul style="list-style-type: none"> • All sizes • Super light weight • Carry strap front • Tie down strap at back
V317	Heavy Duty Std.	371.25	Heavy duty up to 400 lbs. or for bilateral amputees Chair Width 16-28" Chair Depth 16-22"
V317	Heavy Duty Angle	371.25	Heavy duty up to 400 lbs. Slider move out at Angle Chair Width 16-28" Chair Depth 16-22"
V630	Amputee Board with Drop Seat	396.72	Up to 250 lbs. <ul style="list-style-type: none"> • 16-22" width, 16-18" depth • Comes with 4 drop hooks, 1", 2", or 3" • Weighs 5.5 lbs.

PADS

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V625	1" Thick Pads	45.00	
V626	2" Thick Pads	50.63	
V627	3" Thick Pads	56.25	

I.N.C.

AMPUTEE BOARDS

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V167	16x16, 16x18, 18x16, 18x18 20x18, 20x20	110.57	<ul style="list-style-type: none"> • Low profile seat • Up to 250 lbs. • Comes with two 2" stump pads

PADS

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V389	Replacement 2" stump pads	11.70	Each

AMPUTEE BOARDS & PADS

WESTERN HOME MEDICAL			
AMPUTEE BOARDS			
CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V174	Multi Angle Adjustable Amp Support	223.20	

SPECIALTY UPHOLSTERED BACKS

When authorizing a **new wheelchair** for a client (whether it is a new purchased or recycled wheelchair) and a specialty upholstered back, the "V" catalogue number(s) must be indicated on the **1251 authorization form**. Provide this information in Section 6 "Additional instructions". AADL will ensure that the back will be purchased and assembled on the wheelchair by the supplier of the wheelchair. No installation or shipping fees.

When authorizing a **change to the client's current wheelchair** back, please submit an AADL **1250 authorization form** with the appropriate "V" catalogue number(s). Send the supplier copy to the client's choice of wheelchair vendor. The supplier will assemble the back on the client's wheelchair.

ON CHAIR SPECIALTY BACK

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V111	New Purchase Only	AADL Contract Price	<ul style="list-style-type: none"> • On AADL 1251 form only • As indicated on spec sheet

NIGHTHAWK

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V039	Relaxed Back	153.00	
V043	Adjustable Back	180.00	
V305	Keyhole Back	189.00	
OPTIONS			
V488	19-20"	16.94	
V497	21" and over	33.88	
V499	Gel Insert Full Spinal Area	81.00	6x16" Acton Gel

SPECIALTY UPHOLSTERED BACKS

When authorizing a **new wheelchair** for a client (whether it is a new purchased or recycled wheelchair) and a specialty upholstered back, the "V" catalogue number(s) must be indicated on the **1251 authorization form**. Provide this information in Section 6 "Additional instructions". AADL will ensure that the back will be purchased and assembled on the wheelchair by the supplier of the wheelchair. No installation or shipping fees.

When authorizing a **change to the client's current wheelchair** back, please submit an AADL **1250 authorization form** with the appropriate "V" catalogue number(s). Send the supplier copy to the client's choice of wheelchair vendor. The supplier will assemble the back on the client's wheelchair.

INNOVATORS

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V047	K-Special Back	170.10	
V051	K-Adjustable Back K-108	184.50	
V489	Key-Hole Back K-106	198.00	Egg Crate foam covers total surface
OPTIONS – K-SPECIAL BACK / K-ADJUSTABLE BACK			
V490	Recliners	22.50	
V490	Custom Size – >18", <14"	22.50	
V491	Gel Insert Thoracic Area S113	67.50	5x7" Gel Pad
V492	Gel Insert Full Spinal Area S114	83.70	5x12" Gel Pad
V493	Gel Pad Total Area S110	134.10	External Gel Pad to fit the size of Back
V300	Eggcrate Foam Pad K141	50.40	External Eggcrate Foam Pad to fit size of Back
OPTIONS – KEY-HOLE BACK			
V490	Recliners	22.50	
V490	Custom Size – >20", <14"	22.50	
V491	Gel Insert Thoracic Area	67.50	5x7" Gel Pad
V492	Gel Insert Full Spinal Area	83.70	5x12" Gel Pad
V493	Gel Pad Total Area	134.10	External Gel Pad to fit the size of Back

WESTERN HOME MEDICAL

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V440	Tie Back 5392	178.20	Soft back with two lace sections
V441	Pocket Back 5384, 5383, 5388 R188	178.20	Pocket back with removable plastic insert
V445	Adjustable Back 5394	169.20	5 and 6 strap with bottom flap – specify height
OPTIONS			
V447	Custom Size – 21" and over	21.60	

SPECIALTY UPHOLSTERED BACKS INSTALLATION/SHIPPING

Catalogue numbers V106, V108, V109 and V110 are not to be used for new chair purchases. They are to be provided by Wheelchair Vendors Only. These catalogue numbers cannot be applied to any other purchase or recycle activities.

CAT. #	PROCEDURE	PRICE	DESCRIPTION
V106	Installation of Specialty Upholstered Back (Catalogue number not to be used for new purchased chair)	8.40	Quantity 1 per back / 4 years
V108	Shipping – Wheelchair Local – One Way	18.00	Maximum Quantity 2 per back / 4 years
V109	Shipping – Wheelchair Out of Town – One Way	50.00	Maximum Quantity 2 per back / 4 years
V110	Shipping – Specialty Upholstered Back Directly to Authorizer or Client (No installation by Supplier required)	12.00	Quantity 1 per / 4 years

CUSHION SOLID SEAT INSERTS / DROP BASES

When authorizing a **new wheelchair** for a client (whether it is a new purchased or recycled wheelchair) and a drop seat, the "V" catalogue number(s) must be indicated on the **1251 authorization form**. Provide this information either in Section 6 "Additional instructions". AADL will ensure that the back will be purchased and assembled on the wheelchair by the supplier of the wheelchair. No installation or shipping fees.

When authorizing a **change to the client's current wheelchair** back, please submit an AADL **1250 authorization form** with the appropriate "V" catalogue number(s). Send the supplier copy to the client's choice of wheelchair vendor. The supplier will assemble the drop seat on the client's wheelchair.

NIGHTHAWK

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V461	ABS Drop Seat	202.50	<ul style="list-style-type: none"> • Includes 4 hooks and 2 anti-gravity attachments • Indicate height of drop hooks required
V467	ABS Heavy Duty Drop Seat	211.50	<ul style="list-style-type: none"> • A combination of drop hook heights will allow wedge/dump seat
V277	Heavy Duty Drop Seat Hooks (2 drop hooks)	190.00	<ul style="list-style-type: none"> • 300-650 lbs. / >20" wheelchair • Stainless steel • Custom made • Indicate quantity 1

WESTERN HOME MEDICAL

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V462	ABS Drop Seat	189.00	<ul style="list-style-type: none"> • Includes 4 hooks and 2 anti-gravity attachments • Indicate height of drop hooks required
V470	ABS Heavy Duty Drop Seat	223.20	<ul style="list-style-type: none"> • A combination of drop hook heights will allow wedge/dump seat
V298	Air Floatation Cushion Leg Alignment Bolster	98.58	<ul style="list-style-type: none"> • Attaches to drop base • 2-3" cushion height

SUNRISE MEDICAL

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V481	Jay 2 Solid Seat Insert Standard Size	76.50	Add to cushion
V480	Jay 2 Solid Seat Insert Large Size	90.90	Add to cushion

ROHO

CAT. #	MODEL / SIZE	PRICE	DESCRIPTION
V448	Solid Seat Insert	69.75	Planar solid, up to 340 lbs. 14x16, 16x16, 16x18, 18x18, 18x20, 20x20
V484	D-Base – Contoured	92.07	15/16/18 – in addition to air floatation cushion

CUSHION SOLID SEAT INSERTS / DROP BASES INSTALLATION/SHIPPING

Catalogue numbers V107, V108, V109 and V110 are not to be used for new chair purchases. They are to be provided by Wheelchair Vendors Only. These catalogue numbers cannot be applied to any other purchase or recycle activities.

CAT. #	PROCEDURE	PRICE	DESCRIPTION
V107	Installation of Cushion Solid Seat Inserts / Drop Base	8.40	Quantity 1 per base / 2 years
V108	Shipping – Wheelchair Local – One Way	18.00	Maximum Quantity 2 per base / 2 years
V109	Shipping – Wheelchair Out of Town – One Way	50.00	Maximum Quantity 2 per base / 2 years
V110	Shipping – Cushion Solid Seat Insert / Drop Base Directly to Authorizer or Client (No installation by Supplier required)	12.00	Quantity 1 per base / 2 years

APPROVED PRODUCTS LIST (APL) POINTERS

DEFINITIONS

Height of Cushion:

- LT: leg trough – lowest point of measurement of the leg trough
- ABD/ADD: abductor/adductor – highest point of measurement at the abductor /adductor

Life Expectancy:

Wheelchair cushions, especially a higher cost cushion, should with normal use and appropriate care and maintenance last longer than the warranty maximum. Please take this into consideration when you are requesting a replacement of the same cushion. Was this cushion appropriate for the client's use, and did the client care for the cushion appropriately?

CUSTOM SIZE OPTIONS

1. Additional optional charge to wheelchair cushion:
Example #1 – Page 8
To order a custom size Nighthawk Bi-hard cushion Cat. #V161 (\$243.29), you must also request Cat. #V296 (\$40.50).
2. Full cost of custom wheelchair cushion is listed as separate catalogue number:
Example #2 – Page 64
Request Cat. #V595 (\$646.35).
3. Custom size Cat. # V103 indicated for Ottobock – The Cloud
Example #3 – Page 49
Prior approval by AADL Manager. Authorizer to contact AADL in regards to prior approval. If approved, Authorizer to contact vendor for retail cost. Vendor to notify AADL of retail cost and discount price (% of MSRP as per contract).
4. If there is no Cat. # listed for custom size, contact the Alberta Aids to Daily Living Program Manager for Prior Approval.

MAINTENANCE AND CARE OF CUSHION AND COVER

- It is the responsibility of the authorizer to inform and educate the client/client family/caregiver(s) on the appropriate care and maintenance of the cushion.
- AADL will not replace a wheelchair cushion if the recommended maintenance and care are not followed.

WARRANTY

- Please refer to this section when you are requesting a replacement cushion based on the condition of the current cushion.
- If it appears that the condition of the cushion is a manufacturer's defect, the manufacturer's warranty must be pursued with the vendor. This process must be documented on the Wheelchair Cushion Replacement Request Form 1 – Scrap Issue.
- Client misuse or abuse is NOT a warranty issue. AADL will not replace cushions due to misuse or abuse.